



New Shell Egg Food Safety Regulations

To support the consumption of high quality, safe eggs, the California Department of Food and Agriculture (CDFA) adopted a new Section 1350 (Shell Egg Food Safety) and amended Section 1354 (Marking Requirements) of Title 3 of the California Code of Regulations. These regulations require any in-state or out-of-state egg producer or egg handler selling chicken eggs in California to implement Salmonella enterica serotype Enteritidis (SE) reduction measures and label products accordingly. The requirements will be implemented in phases beginning on July 1, 2013. The Department will engage in outreach and education efforts to assist producers and handlers in complying with these requirements.

Phase I, Effective July 1, 2013

Enhanced Salmonella Enteritidis (SE) Testing and Vaccination:

- Applies to all flocks with 3,000 or more laying hens and a hatch date of 7/1/2013 or later, whose eggs are sold in California.
- Laying hens whose shell eggs are pasteurized or otherwise processed to reduce the risk of SE consistent with Food and Drug Administration (FDA) standards (5 log reduction) are exempt.
- Implements FDA Egg Safety Rule (21 CFR Part 118).
- Also requires:
 - Two additional environmental SE tests, one on chick papers when chicks are delivered, and one at the end of the egg laying life of a flock; and
 - A flock vaccination program to protect against SE, which includes a minimum two attenuated live vaccinations and one killed or inactivated vaccination, or a demonstrated equivalent SE vaccination program approved by CDFA.

Phase II, Effective January 1, 2015

Reduced Stocking Density (minimum floor space per hen) and Product Labeling:

- Stocking density requirements apply to all chickens whose eggs are sold in California, regardless of flock size.
- Laying hens whose shell eggs are pasteurized or otherwise processed to reduce the risk of SE consistent with FDA standards (5 log reduction) are exempt.*
- Requires a minimum floor space per hen dependent on the number of hens in the enclosure:

# of Hens	1	2	3	4	5	6	7	8	≥9
Square Inches/Hen	322	205	166	146	135	127	121	117	116

- The principal display panel for containers for all eggs sold in California must have the following statement: "California Shell Egg Food Safety Compliant," or equivalent approved by CDFA.
- The statement shall be legible and plainly marked on each container in letters not less than 1/4 inch in height.

***Note:** Housing still must comply with Health and Safety Code sections 25990 and 25991.

For a copy of the regulation text: www.cdfa.ca.gov/ahfss/regulations.html

To access Title 3, California Code of Regulations, online: www.oal.ca.gov

**California Department of Food and Agriculture
 Animal Health and Food Safety Services
 1220 N Street, Sacramento CA 95814
 (916) 900-5000**