AGRICULTURAL EXTENSION SERVICE UNIVERSITY OF CALIFORNIA

Ventura County October 21, 1964 Meeting #3 Office of Farm Advisors Santa Barbara County San Luis Obispo County October 13, 1964 Meeting #2

RANGE IMPROVEMENT
by
Norman H. Macleod
and
W. James Clawson

The Resource

Range land occupies a great part of the area of the three counties of San Luis Obispo, Santa Barbara, and Ventura. The private lands only will be considered here, as there are few private improvement practices carried on within the public lands. However, there are grazing permits issued to ranchers by the government.

At the present time indications are that the acreage of range, or grazing land, will remain fairly steady.

Types of Range land

There are three general types of Range land in this area. The first is a grass land type generally characterized by rolling hills, scattered oak trees of varying densities, and a predominantly annual grass cover. There would be very little conversion work carried on in this situation. Some oak trees are utilized in the charcoal industry, but we do not find much interest in chemical tree control in this tri-county area.

The second type of range land that is characteristic in the area is the brush land type. Brush may or may not be thick enough to allow grass growth under it. It is this type of land that we would be most concerned with in a brush removal program. Soils on this type of land would be favorable for grass growth and grazing.

Types of Range land cont'd.

The third type of range is also a brush land, but is characterized by steep slopes, rocky outcroppings and thin soils. The amount of grass one could coax out of this type of land would not be very great, nor could we expect it to be good grazing land if the brush were removed. It is better to leave this type of land alone when considering a range improvement program.

Factors in Range Improvement

Brush range improvement programs have, as their main objectives, the increasing of feed supplies for livestock and game, improving watersheds, and reducing wild fire hazards and suppression costs. However the degreee of improvement, with respect to livestock carrying capacity, varies considerably with soil type, moisture conditions, and conversion methods used.

It is seldom that a converted brush land is equal in carrying capacity to an open grass land type of range. Within any improved area it is possible that the only improvement may be increased water yield, increased deer browse, or reduced wild fire hazard. These may be important considerations, but might not add to the income of the ranch involved.

Successful brush range improvement is a combination of good site selection followed by the best known methods of maintenance. However, with our present knowledge, range land that has been converted from brush to pasture is not considered permanent. Brush return is usually very rapid unless there is some type of chemical follow up to the conversion. However it adds quite a bit to the conversion cost when chemicals are used.

It is often difficult to evaluate increase of carrying capacity

Factors in Range Improvement cont'd.

on improved areas due to variations in the success of burning, reseeding and follow up chemical control.

Types of Conversion Programs

There are three main types of conversion programs that might be used. They are controlled burning, mechanical clearing, and chemical.

The controlled Burn

This is the most common and usually the cheapest method of converting brush land to grass. The accompanying cost data sheet shows some sample costs on an 800 acre conversion project. Notice should be taken that there is a very large range in costs for any particular operation. Topography and density of brush will affect the costs.

At the present time most ranchers burn and reseed. Chemical follow up has not been very widely accepted. Most operators feel that they would rather reburn after a five to seven year wait. The reburn will probably be cheaper per acre than the original burn due to the fact that the fire lines and control roads are already in.

Mechanical clearing

This method of converting brush land is more expensive than the control burn. Here also we find a great variation in costs due to the lay of the land and brush density. In addition there are different methods of doing the job. Various mechanical tools such as heavy brush discs and cutters have been used as well as a bull-dozer blade. When the brush is piled into windrows we have encountered costs of \$45.00 per acre. When discing, a cost of about \$25.00 per acre could be expected. In high risk areas it is quite possible that the mechanical method might be the only way of converting brush land. This method is obviously not suited to areas that are too steep to get on.

Chemical Control

This method of clearing full grown brush of mixed varieties is quite expensive and results have been variable. It is better to use this method in connection with one of the other methods of clearing. Associated Practices

It is quite possible that a rancher may wish to change old crop land to grazing land. One would expect that this kind of land would generally be a better quality for growing grass than some of the brush areas. Therefore he might be more inclined to combine reseeding with the use of fertilizer for better growth and chemicals for weed control.

Assistance program available to Ranchers

The Agricultural Stabilization and Conservation Service is charged with administering the government payment programs for crops and for the Agricultural Conservation Program, commonly called A.C.P. There are many range improvement practices that are eligible for A.C.P. payment. Some of these include reseeding, stock water development, fertilization, chemical treatment, and access roads, to mention a few.

The resultant production and utilization of the land from an improved brush land range is governed by seasonal rainfall, both in amount and distribution, temperature, stock water availability, and topography. Range feed at today's prevailing prices is not cheap feed.

References:

 The Brush Problem on California Livestock Ranges State of California Department of Natural Resources Division of Forestry

cont'd-

References: cont'd.

- Equipment for clearing brush from land Farmers' Bulletin #2180
 U.S. Department of Agriculture
- Chemical Control of Woody Plants in California
 A. Leonard
 A. Harvey
 California Agricultural Experiment Station
 Bulletin 755
- 4. Improving California Brush Ranges
 R. Merton Love
 Burle J. Jones
 Revised by Love, Sumner, and Osterli
 California Agricultural Experiment Station
 Bulletin 371
- Estimating Range land Values and Rents University of California Agricultural Extension Service AXT 70
- 6. 1964 Agricultural Conservation Program
 Published for each county by the county ASCS committee

University of California Office of Farm Advisors

San Luis Obispo Cou October 13,1964 Meeting #2		or 800 ac. brush 1	land conve	csion proj	S	ce of Farm anta Barba October l Meetind	ra County 3, 1964
Steps taken and Equipment used	Equipment and cost/ac.	Labor Materials cost/ac.			e costs 500 ac.		costs
Fire lines and Preburn preparation 80 H.P. Dozer 40 H.P. Dozer	50 40		420.00 320.00				
Man and chain saw TOTAL	20	-	150.00 890.00	1.10	1.80	1.10	
Control Burn 60 H.P. Dozer 40 H.P. Dozer Range Assn. charg Fuzees, etc. Barbeque, etc. TOTAL	.25 .28 .12	.09	205.00 225.00 95.00 75.00 200.00 800.00		1.00	,	1.49
Seeding Seed costs Air Application Hand seeding spot TOTAL	1.00	2.70	2210.00 720.00 30.00 2960.00	1.00	6.00	1.00	
Sub Total			4650.00	5.80	9.70	3.20	
Chemical Control of Regrowth Chemical Herbicide Air Application TOTAL TOTAL COSTS	e 1.45	3.25	3000.00 1150.00 4125.00 8775.00	5.20 11.00	8.30	2.60	
ASC Program \$23 Effects \$23	100.00 ASC Share 100.00 ASC Share 200.00 TOTAL ASC	of Chemical Costs	8900.00 -4200.00	Total	18.00	5.80/ cost	ac. to ranch

*Ventura County October 21, 1964 Meeting #3

NHM:gm