### COOPERATIVE EXTENSION UNIVERSITY OF CALIFORNIA Placer and Nevada Counties

11477 E Avenue (DeWitt Center-Bldg. 306) Auburn, California 95603 Telephone 823-4581 Veterans Memorial Building 255 S. Auburn Street Grass Valley, California 95945

Telephone 273-4563

### SAMPLE PRODUCTION COSTS

### ANNUAL CLOVERS 1976

### INTRODUCTION:

This sample cost of production {see back page} is based on a 200 acre farm. One hundred acres is in improved dryland pasture consisting of annual clovers. For the purpose of this study, the average life of improved dryland pastures is considered to be 10 years.

Annual clovers have been established on an estimated 30,000 acres of range land in Placer and Nevada Counties. Gains of 150 to 200 pounds of beef per acre can be consistently produced on annual-legume improved ranges. Maximum profit per acre results from careful attention to adequate soil fertility, seeding adapted varieties, and good grazing management.

#### ESTABLISHING ANNUAL CLOVERS:

- 1. Select an area that can be disked.
- 2. Apply 400 pounds of single superphosphate per acre.
- 3. Prepare a seedbed by a light shallow disking, not over 4 inches in depth.
- 4. Seed 15 pounds of pellet-inoculated seed per acre in mid-October and roll or harrow LIGHTLY to cover the seed.
- 5. Graze the stand lightly the first spring to keep grass from crowding out the clover. Livestock should be put on the field as soon as it can be grazed without too much "punching."
- b. Remove the livestock during April and May the first year to allow the clover to set a good seed crop.
- 7. Graze again during the summer or fall to remove most of the clover and grass residue and trample the seed into the ground.

#### GRAZING THE ESTABLISHED STAND:

Graze anytime during the fall, winter, or spring with enough livestock to keep the grass growth down. Adjust the cattle numbers to let the clovers bloom and set seed. This usually occurs during March and April in dry years and April and May in a normal year.

#### SUPPLEMENTAL IRRIGATION:

Yields of annual clovers can be greatly increased with early fall and late spring irrigation. The application of three to four acre inches of water in early September will provide good grazing by mid-October. Late spring irrigations will extend green forage production. {No costs for pre-irrigation are included in this study.}

1976 - 200 copies

# ANNUAL CLOVERS COST PER ACRE

TACLY: 4 AUII PER ACTE	
YEARLY CULTURAL COSTS:	Costs
*Fertilize - {contract applied} 100 lbs. Single Super- phosphate/A	<b>*</b> 4-35

Taxes
Miscellaneous

3.60
.75

\$ 8.70

INVESTMENT:	Per Acre	Annual Depreciation		8%
Land Fences Stand Establishment {10 yr}	<b>*500.00 30.00</b>	1.20	\$40.00 1.20	
Disc 1 X Fertilizer - 400 lbs.	4.00	• 40	-15	
0-20-0 applied p/a 15 lbs. Pelleted Seed	17.00	1.70	•70 •50	
Broadcast seed Harrow or ringroll	5.00	•50	.10	
TOTAL	<b>\$567-00</b>	* 4.90	<b>*42.75</b>	+47-65
TOTAL COST PER ACRE PER YEAR				<b>*56-35</b>
Cost per AUM				*14.10
Cost per lb. gain at 200 lbs	· meat/acre			-28

<sup>\*300</sup> lbs. applied every third year.

Prepared by:

William E. Mason Farm Advisor L. A. Horel Research Associate A. Doyle Reed Extension Economist PLACER AND NEVADA COUNTIES

### SAMPLE PRODUCTION COSTS

358 Elm Avenue, Auburn, California 95603 Telephone 885-4551

ANNUAL CLOVERS

Memorial Building, Grass Valley, California 95945 Telephone 273-4563

### INTRODUCTION:

This sample cost of production (see back page) is based on a 200 acre farm. One hundred acres is in improved dryland pasture consisting of annual clovers. For the purpose of this study, the average life of improved dryland pastures is considered to be 10 years.

Annual clovers have been established on an estimated 30,000 acres of range land in Placer and Nevada Counties. Gains of 150 to 300 pounds of beef per acre can be consistently produced on annual-legume improved ranges. Maximum profit per acre results from careful attention to adequate soil fertility, seeding adapted varieties, and good grazing management.

### ESTABLISHING ANNUAL CLOVERS:

- 1. Select an area that can be disked.
- Apply 400 pounds of single superphosphate per acre.
- Prepare a seedbed by a light shallow disking, not over 4 inches in depth.
- 4. Seed 10 to 15 pounds of pellet-inoculated seed per acre in mid-October and roll or harrow LIGHTLY to cover the seed.
- 5. Graze the stand lightly the first spring to keep grass from crowding out the clover. Livestock should be put on the field as soon as it can be grazed without too much "punching."
- 6. Remove the livestock during April and May the first year to allow the clover to set a good seed crop.
- 7. Graze again during the summer or fall to remove most of the clover and grass residue and trample the seed into the ground.

### GRAZING THE ESTABLISHED STAND:

Graze anytime during the fall, winter, or spring with enough livestock to keep the grass growth down. Adjust the cattle numbers to let the clovers bloom and set seed. This usually occurs during March and April in dry years and April and May in a normal year.

### SUPPLEMENTAL IRRIGATION:

Yields of annual clovers can be greatly increased with early fall and late spring irrigation. The application of three to four acre inches of water in early September will provide good grazing by mid-October. Late spring irrigations will extend green forage production. (No costs for pre-irrigation are included in this study).

eser of breser suchs will of elderrage 5/73 - 100 copies

## SAMPLE PRODUCTION COSTS

## COSTS PER ACRE

Yearly Cultural Costs		) neitsübere le	dono m	Costs
Fertilize - (Contract applie Taxes - Based on Placer Cou Miscellaneous -	inty rate Conse	s. Single super phosphate/A	hundre vers. Tyland vers ha	\$ 9.00 1.26 .54 \$10.80
of notinetts fulered mort at		VIIIIII TOT	C .	ranges
Investment bood bas (selfairs)	Strandtongland Strandton Chronistin Pipes	Depreciation		st 1%
Land	\$500.00	-	\$35.00	
Fences (25 years)	20.00	\$293.80	.70	TABLISHI
Stand Establishment (10 yr)			00	
Disc 1 X	2.50	bled neo.25ml s	·09	Select
Fertilizer - 400#	igeodgaggy	nde of strole s	.42	
0-20-0 applied p/a 15# Pelleted Seed	12.00 8.20	**************************************	.29	redead.
Broadcast seed	1.50	1100 10 .15	.05	
Harrow or ringroll	1.00	1.190 10 .10 110	.04	
ing to keep grass from claim be put on the field as soon	The second secon	\$ 3.32	CHALL SAFETY COLUMN STATE OF STREET, STORAGE	\$39.91
Total Cost Per Acre Per Year	d erop.	vestook during set a good sea uring the summa	od zavo.	\$50.71
Cost per 1b. gain @ 200 1bs.	meat/acre	25.4¢/1b.	eel ees	ig one

Graze anytime during the fall, winter, or apring with enough livestock to keep the grass growth down. Adjust the cattle numbers to lat the clovers bloom and set seed. This usually occurs during Ma; yd bersque

esido

William E. Mason Farm Advisor Philip S. Parsons
Extension Economist

The University of California's Agricultural Extension Programs are available to all, without regard to race, color or national origin.