PLANTS IN THE RIGHT PLACE FOR SIERRA FOOTHILLS, ZONE 7

Publication Number 31-150

(revised July 2003)

COMPILED BY Beverly Moncrieff, Nevada County Master Gardener

Effective pest management in your garden begins with designing landscapes to provide an optimal living environment for plants. A key element of this is to put your plants in a good location. The right place is the combination of light, water, space, soil quality, drainage, and climate (heat).

The ornamental plants on the following tables were on display at the Master Gardener Booth, 2001 Nevada County Fair. They serve as examples of plants in the right place and are not intended to be an all-inclusive list.

The designation by **bold type** of deer-resistant plants should be considered as a general guide; deer will occasionally browse some of the plants listed.



TEMPERATURE
CHARACTERISTICS-ZONE 7

Typical winter lows: 23° to 9°F. Record lows 15° to —1°F.

OPTIMAL GROWING SEASON FOR ZONE 7

May through first week of October

| KEY (For Tables) | | | |
|-------------------|-----------|--|--|
| P = | Perennial | | |
| A = | Annual | | |
| B = | Biennial | | |

WATER REQUIREMENTS FOR ESTABLISHED PLANTS FOR ZONE 7

Little Water = Drought Tolerant

Moderate Water = May mean soaking every two to three weeks.

Regular moisture = Soil should not be too wet or too dry. Well-drained soil.

Ample moisture = Bogs, aquatic plants, stream bed natives



REFERENCES

The American Horticultural Society
Encyclopedia of Garden Plants. 1997.
Christopher Brickell and Judith D. Zuk,
Editors. OK Publishing, Inc.

Deer Resistant Plants of the Sierra Foothills (Zone 7). July 2001. Jennifer Greenfield. UCCE Nevada County Master Gardeners.

Pests of Landscape Trees and Shrubs. 1994. Mary Louise Flint. University of California, Division of Agriculture and Natural Resources Publication 3359.

Sunset Western Garden Book. 2001. Kathleen Norris Brenzel, Editor. Sunset Publishing Company, Menlo Park, CA.



COOPERATIVE EXTENSION, UNIVERSITY OF CALIFORNIA

Placer County

WEB SITE: ceplacernevada.ucdavis.edu

Nevada County



11477 E Avenue (Bldg 306, DeWitt Center) Auburn, California 95603 PHONE (530) 889-7385

FAX (530) 889-7397

E-Mail: ceplacer@ucdavis.edu

The University of California, in accordance with applicable Federal and State law and University policy, does not discriminate on the basis of race, color, national origin, religion, sex, disability, age, medical condition (cancer-related), anexyn, manital status, citizenship, sexual orientation, or status as a Vietnam-era veleran or special disabled veleran. Inquiries regarding the University's nondiscrimination policies may be directed to the Affirmative Action Director, University of California, Agriculture and Natural Resources, 1111 Franklin, 6th Floor, Oakland, California 94607-5200. (510) 987-0096.

United States Department of Agriculture, University of California, Placer & Nevada Counties cooperating

255 So Auburn (Veterans Memorial Bldg)
Grass Valley, California 95945
PHONE (530) 273-4563
FAX (530) 273-4769
E-Mail: cenevada@ucdavis.edu

| BOTANICAL NAME | COMMON NAME | WATER REQUIREMENTS | COMMENTS P = PERENNIAL; A = ANNUAL; B = BIENNIAL |
|---------------------------------------|-------------------------|--------------------------------|---|
| FULL SUN (All day or almost | | | |
| Achilea millefolium 'Moonshine' | Yarrow | Little to Moderate | P, to 2 feet high, yellow flowers, gray-green leaves |
| Aster chilensis | Chilean aster | Regular | P, California native, daisy-like flowerheads |
| Coreopsis lancelolata | Tickseed | Little to Moderate | P, hairy foliage near base, yellow flowers |
| Euonymus japonicus 'Microphyllus' | Box-leaf euonymus | Moderate | Compact, small-leafed evergreen shrub, 1 to 2 feet high |
| Gaillardia aristata | Blanket flower | Moderate | P, 2 to 2½ feet high with daisy-like flowers in yellow to red |
| Gladiolus spp. | | Regular during growth | P, from corms, tubular ruffled flowers, 1 to 3 feet high |
| Ipomoea tricolor | Morning glory | Moderate to Regular | P/A, vines from 1 to 15 feet, single or multi colors |
| Lagerstroemia indica | Crape myrtle | Moderate | Deciduous shrub/tree, white, pink, or purple clusters |
| Petunia x hybrida spp. | Petunia | Regular | P as A, multicolored flowers funneled or ruffled |
| Phlox paniculata | Summer phlox | Moderate to Regular | P, 3 to 5 feet high, 1-inch pink, lavender, or white blooms |
| Rudbeckia hirta | Black-eyed susan | Moderate to Regular | P/B, yellow rays with raised dark cone centers |
| Salix scouleriana | Scouler willow | Regular to Ample | Tree, California native |
| Salvia leucantha | Mexican sage bush | Little | P, 3 to 4 feet high, whorls of white flowers with purple |
| Sanvitalia procumbens | Creeping zinnia | Moderate to Regular | A, 4 to 6 feet high, orange/yellow rays, dark center |
| Sedum telephium 'Autumn Jo | y' | Regular to Moderate | P, bushy, deciduous, clusters of pink flowers |
| Verbena x hybrida | Garden verbena | Moderate | P as A, 6 to 12 inches high, flowers in flat clusters |
| Zinnia elegans | Zinnia | Regular | A, 1 to 4 feet high, many-colored showy flowers |
| Agastache foeniculum 'Snow Spike' | | Moderate | P, to 3 feet high, purple or blue flowers |
| • | ERATE PARTIAL SHA | ADE <i>(Shade for half the</i> | day oral least 3 hours during the hottest part of |
| Crocosmia hybrids 'Lucifer' | | Regular | P, from corms, bright red flowers, 4 feet high |
| Elymus glaucus | Blue Wild Rye | Little to Moderate | P, ornamental bluish grass, 1½ feet high |
| Erysimum linifolium 'Bowles Mauve' | Wallflower | Moderate | P, 3-foot spike-like clusters of mauve flowers |
| Geranium dalmaticum | Cranesbill | Regular | P, pink flowers, carpeting, red fall leaves |
| Hemerocallis fulva | Tawny daylily | Regular | P, from tubers, tawny orange trumpet-like flowers |
| H. 'Lullaby Baby' | Daylily | Regular | P, nocturnal ice-pink flowers with green throats |
| Hypericum androsaemum | St. John's wort | Moderate to Regular | P, bushy deciduous shrub, yellow flowers |
| Imperata cylindrica 'Rubra' | Japanese blood grass | Regular | P, grass clumps, green with red tips |

| BOTANICAL NAME | COMMON NAME | WATER REQUIREMENTS | COMMENTS P = PERENNIAL; A = ANNUAL; B = BIENNIAL |
|--|--------------------------------|---------------------------|---|
| PREFER FULL SUN BUT TO (Shade for half the day or | | | e day) |
| Kniphofia uvaria | Red hot poker | Moderate to Regular | P, 6 feet high, poker tipped flowers, red/orange/ yellow |
| Lobularia maritima | Sweet alyssum | Regular | A, trailing plant with clusters of white flowers |
| Loropetalum chinense | | Regular | Evergreen shrub, to 10 feet high, white/green flowers |
| Oxalis deppei | Wood sorrel | Regular | P, clumps, clover-like leaves with pastel flowers |
| Pelargonium x domesticum | Geranium | Moderate to Regular | P, shrubby to 3 feet high, various colored flowers |
| Phalaris arundinacea picta 'Dwarf Garters' | Common ribbon grass | Regular | P grass, 1½ to 2-foot clump, green with white stripes |
| Physalis alkekengi | Chinese lantern | Regular water | P, orange-red lantern-like calyxes |
| Rubus calycinoides (R. pentalobus) | Bramble, Crinkle leaf creeper | Moderate | P, evergreen shrub, small prickles, white flowers |
| S. spathulifolium 'Cape Blanco' | Stonecrop | Little to Moderate | P, California native, mat-forming evergreen, ground cover, light yellowish flowers, blue- green leaves tinged with reddish-purple |
| Spiraea douglasii | Western spirea | Regular to Ample | Deciduous shrub with purple, pink flower clusters |
| Thymus lanuginosus | Wooly thyme | Moderate | P, flat mat, shrubby, with gray wooly leaves |
| Tropaeolum majus | Garden nasturtium | Regular | A, climber or bush with red, orange, yellow flowers |
| Viburnum plicatum (V. tomentosum 'Sterile') | Japanese snowball | Regular | 8 to 15 foot tree, snowball-like flower clusters |
| Vinca minor | Periwinkle, creeping myrtle | Little to Moderate | P, mat-forming evergreen, lavender-blue flowers |
| PARTIAL SHADE (Shade for half the day or | ral least 3 hours during | g the hottest part of the | e day) |
| Alchemilla mollis | Lady's mantle | Regular | P, silvery leaves, yellowish-green flower clusters |
| Asparagus sprengeri | Asparagus fern | Regular | P, fern, graceful arching stems with red berries |
| Daphne odora | Winter daphne | Little | Deciduous shrub with pink fragrant flowers |
| Hedera helix | English ivy | Moderate to Regular | P, self-clinging evergreen vines, 3 to 5 lobed leaves |
| Pieris japonica 'Variegata' | Variegated lily of the valley | Regular | Variegated shrub, drooping flower clusters |
| LITTLE OR NO DIRECT SUN | LIGHT | | |
| Alnus rhombifolia | White alder | Regular to Ample | Tree to 90 feet high, branches droop at tips |
| Begonia x tuberhybrida | Tuberous begonia | Regular | P from tuber, large flowers, most colors |
| Caladium bicolor | Fancy-leafed caladium | Regular to Ample | P/A, from tuber, large brilliantly colored leaves |
| Clivia miniata | Kaffir lily | Regular | P, from tuber, orange funnel-shaped flower clusters |

| BOTANICAL NAME | COMMON NAME | WATER REQUIREMENTS | COMMENTS P = PERENNIAL; A = ANNUAL; B = BIENNIAL |
|-----------------------------------|------------------------------------|-----------------------|---|
| LITTLE OR NO DIRECT SUN | LIGHT — Continued | | |
| Rhododendron indica | Azalea | Regular to Ample | Evergreen deciduous shrub, showy flowers |
| R. indica Brooks hybrid 'Madonna' | Azalea | Moderate to Regular | Evergreen, heat/drought tolerant, white flower |
| Thalictrum rochebruneanum | Meadow rue | Regular | P, clumps, 18 inches high, white-lavender flowers |
| T. minus 'Hypoleucum' | Meadow rue | Regular | P, 2 to 4 feet high, lavender flowers |
| LITTLE OR NO DIRECT SUN | LIGHT BUT WILL TOLI | ERATE PARTIAL SHAL | JE |
| Anemone japonica | Windflower, Japanese anemone | Ample | P, graceful stems, creamy pink flowers |
| Aucuba japonica 'Variegata' | Gold dust plant | Moderate to Regular | P, dark green leaves spotted with yellow |
| Coleus x hybridus | Coleus | Regular | P as A, with brilliantly colored leaves |
| Crytomium falcatum | Japanese holly fern | Regular | P, 2 to 3 feet high, coarse-textured, with glossy fronds |
| Dianthus barbatus | Sweet William | Regular | B, 20 inches high, dense flower clusters |
| Dryopteris erythrosora | Autumn fern | Regular | Deciduous fern, 2 feet high, seasonal color variation |
| Filipendula vulgaris | Dropwort | Regular | P, spreading clump, to 3 feet high, with white flowers |
| Fuchsia hybrida | Hybrid fuchsia | Regular to Ample | Deciduous evergreen shrubs with showy blooms |
| Heuchera sanguinea 'Silver veil' | Coral bells | Moderate to Regular | P, compact evergreen, coral, bell-shaped blooms |
| Hosta plantaginea | Fragrant plantain lily | Regular | P, to 2 feet high, large glossy leaves, white flowers |
| Impatiens balsamina | Rose balsam | Regular | A, branching, spurred blooms amid hairy leaves |
| I. walleriana | Busy Lizzie | Regular | A, glossy leaves, coral, pink, lavender flowers |
| Lamium maculatum | Spotted dead nettle | Regular | P, green/white striped leaves, pink, white flowers |
| Liriope muscari | Lily turf | Regular | P, grass-like leaves, purple/white flower clusters |
| Lobelia erinus | | Regular | A, edging plant 3 to 6 inches high, blue or magenta flowers |
| L. siphilitica | | Ample | P, 2 to 3 feet high, with blue flowers |
| Lonicera nitida | Box honeysuckle | Moderate to Regular | Evergreen shrub, creamy flowers, blue berries |
| Mahonia aquifolium | Oregon grape holly | Little to Regular | Dense evergreen shrub, to 6 feet high, blue berries |
| Sofeirolia soleirolii | Baby tears, Angel's tears | Regular to Ample | P, lush mat, 2 to 4 feet high, inconspicuous flowers |
| Stachys byzantina | Lamb's ears | Moderate | P, to 1½ inches high, rosettes of white wooly leaves |