

INFLUENCE OF GRAFTING ON YIELD OF CANNING TOMATOES: 2017 PROGRESS REPORT



GENE MIYAO, FARM ADVISOR, UCCE, YOLO, SOLANO & SACRAMENTO COUNTIES
JOSH CHASE, GROWERS TRANSPLANTING, INC.
JASMIN BONILLA-RAMIREZ, FIELD ASSISTANT, UCCE



Goal: >>> Reduce premature vine senescence

66 days before harvest



fruit sizing

18 days before harvest



fruit ripening


8 days before harvest



approaching
harvest












1) Sterile trays & sterile media seeded 5 weeks before grafting



3) Grafting clips positioned half-way on rootstock stems



2) Both rootstock & scion plant stems clipped at $\sim 45^\circ$ angle



4) Scion stems align to rootstock angle with attention to match stem diameter



Healing conditions

Temp. = $28-29^{\circ}\text{C}$

R.H. = $\approx 100\%$

Light = $\approx 100 \mu\text{mol}/\text{m}^2/\text{s}$

Tomato = 4 days

Cucurbits = 7 days

Scion (Fruit):

N 6428

DRI 319

HM 3887

X

Rootstock:

Maxifort

Multifort

DR 0138TX


=

(3 x 3)

9 combos

**+ 3 non-grafted
controls**

= 12 treatments





DRI 319 (conventional)

DRI 319 on rootstock



N 6428 on rootstock Maxifort

N 6428 (conventional)

Effect of rootstocks on processing tomatoes, Harlan Family Farm, Madison area, 2017

			Marketable	non-	
			yield	grafted	
	Rootstock	Scion	Tons/A	% yield	°Brix
1	-	N 6428	53.5	-	4.2
2	MaxiFort	N 6428	62.2	116	4.1
3	MultiFort	N 6428	59.7	112	4.0
4	DR 0138TX	N 6428	64.1	120	4.0
5	-	DRI 319	34.0	-	4.8
6	MaxiFort	DRI 319	37.1	109	4.6
7	MultiFort	DRI 319	40.3	118	4.6
8	DR 0138TX	DRI 319	40.7	120	4.7
9	-	HM 3887	38.1	-	5.1
10	MaxiFort	HM 3887	50.4	132	4.5
11	MultiFort	HM 3887	48.8	128	4.5
12	DR 0138TX	HM 3887	45.7	120	4.4
	LSD 5%		8.1		0.3
	%CV		12		4
CLASS COMPARISONS:					
	Grafted vs		49.9	119	4.4
	non grafted		41.9	100	4.7
	Probability		0.00		0.00



Effect of rootstocks on processing tomatoes, Harlan Family Farm, Madison area, 2017

FACTORS		Yield ton/A	% of control
A. <i>Variety (scion)</i>			
	N 6428	62.0 a	116
	DRI 319	39.4 c	116
	HM 3887	48.3 b	127
Probability		0.00	
LSD 5%		4.8	
B. <i>Rootstock</i>			
	MaxiFort	49.9	119
	MultiFort	49.6	119
	DR 0138TX	50.2	120
Probability		NS	
LSD 5%			
C. <i>Interaction (probability)</i>			
Variety x Rootstock		NS	
% CV		11	

Effect of rootstocks on processing tomatoes, Harlan Family Farm, Madison site, 2017

Woodland site, 2016

FACTORS	Yield ton/A	% of control
A. <i>Variety (scion)</i>		
N 6428	62.0 a	116
DRI 319	39.4 c	116
HM 3887	48.3 b	127
Probability	0.00	
LSD 5%	4.8	
B. <i>Rootstock</i>		
MaxiFort	49.9	119
MultiFort	49.6	119
DR 0138TX	50.2	120
Probability	NS	
LSD 5%		
C. <i>Interaction (probability)</i>		
Variety x Rootstock	NS	
% CV	11	

FACTORS	Marketable yield Tons/A	non- grafted yield (%)
A. <i>Variety (scion)</i>		
H 8504	53.5 b	110
DRI 319	62.7 a	114
HM 3887**	65.0 a	105
Probability	0.000	
LSD 5%	3.57	
B. <i>Rootstock</i>		
MaxiFort	59.3	108
MultiFort**	60.2	109
DR 0138TX	61.8	109
Probability	NS	
LSD 5%		
C. <i>Interaction (probability)</i>		
Variety x Rootstock	NS	
% CV	7	

Challenges ?

- High establishment costs > \$0.65 @
- Rootstock disease resistance:
searching for Verticillium wilt race 2
other pathogens
- ~~Location of graft union relative to soil surface~~
- ~~Rootstock x Scion interactions~~ > not displayed
- Coordination of rootstocks w/ scion plants-
doubling greenhouse space plus healing room



\$4.55K seedling cost

65 ton yield increase

7,000 plants/A @ \$0.65

IF ...

**4,500 PLANTS @ \$0.50 PER
...IF \$80 CROP PRICE ->**

TARGET OF 28+ TON INCREASE

**Reduce
planting
rate**

**automate
grafting**

**Increase
yield and/or
crop price**

Year 2017 Cooperators:

Blake Harlan

Harlan Family Farm, Woodland

Grafting- (small-scale by hand)

Growers Transplanting Inc.

Josh Chase

Joan Venegas

Experimental Assistance

Timothy Stewart and Lekos

Ag Seeds

Monsanto

Statistical Analysis of Variance

support- Brenna Aegerter

2018 project:

Brenna Aegerter coordination of
project with USDA, multi-year grant