Survival of Foodborne Pathogens on Nuts: Tables and References

To repost or cite, please use the following citation: Harris, L. J., S. Yada, L. R. Beuchat, and M. D. Danyluk. 2018. Storage survival studies of foodborne pathogens on nuts, nut pastes, and seed paste products [Tables 1–2 and references]. *In* Survival of foodborne pathogens on nuts. Available at: http://ucfoodsafety.ucdavis.edu/Nuts_and_Nut_Pastes.

Table 1. Storage survival studies of *E. coli* and foodborne pathogens on nuts

Pathogen	Nut	Nut type	Storage temp (°C)	Storage time	Reference
Escherichia coli	almond	flour (ground kernels)	−20	12 months	Cheng and Wang, 2018
		flour (ground kernels)	4	12 months	Cheng and Wang, 2018
		flour (ground kernels)	24	12 months	Cheng and Wang, 2018
	pecan	inshell	0	12 weeks	Beuchat, 1973
		kernel halves	−7	24 weeks	Beuchat, 1973
		kernel halves	0	24 weeks	Beuchat, 1973
		kernel halves	14	24 weeks	Beuchat, 1973
		kernel halves	21	24 weeks	Beuchat, 1973
		kernel halves	30	24 weeks	Beuchat, 1973
	walnut	inshell	ambient	9 months	Frelka et al., 2016
		kernel (extracted from inshells after storage)	ambient	9 months	Frelka et al., 2016
		kernel	ambient	8 months	Kokal, 1965
		kernel	9–14	8 months	Kokal, 1965
		kernel	−12	8 months	Kokal, 1965
Escherichia coli O157:H7	almond	kernel	−19	12 months	Kimber et al., 2012
		kernel	4	12 months	Kimber et al., 2012
		kernel	5	11 months	Hokunan et al., 2016
		kernel	15	11 months	Hokunan et al., 2016
		kernel	24	6 months	Kimber et al., 2012
		kernel	25	11 months	Hokunan et al., 2016
	peanut	kernel	−24	12 months	Brar et al., 2015
		kernel	−20	3 months	Miksch et al., 2012
		kernel	4	3 months	Miksch et al., 2012
		kernel	4	12 months	Brar et al., 2015
		kernel	22	3 months	Miksch et al., 2012
		kernel	22	12 months	Brar et al., 2015

Pathogen	Nut	Nut type	Storage temp (°C)	Storage time	Reference
	pecan	kernel	−24	12 months	Brar et al., 2015
		kernel	4	12 months	Brar et al., 2015
		kernel	22	12 months	Brar et al., 2015
	pistachio	inshell	−19	12 months	Kimber et al., 2012
		inshell	4	12 months	Kimber et al., 2012
		inshell	24	8 months	Kimber et al., 2012
	walnut	inshell	10	7 months	Frelka, 2013
		inshell	10	12 months	Frelka et al., 2016
		inshell	23–25	14 weeks	Blessington et al., 2013b
		kernel	23	5 weeks /3 years[1]	Blessington et al., 2012
Enterohemorrhagic *E. coli* (EHEC)	almond	kernel	5	11 months	Hokunan et al., 2016
		kernel	15	11 months	Hokunan et al., 2016
		kernel	25	11 months	Hokunan et al., 2016
Listeria monocytogenes	almond	kernel	−19	12 months	Kimber et al., 2012
		kernel	4	12 months	Kimber et al., 2012
		kernel	24	7 months	Kimber et al., 2012
	peanut	kernel	−24	12 months	Brar et al., 2015
		kernel	4	12 months	Brar et al., 2015
		kernel	22	12 months	Brar et al., 2015
	pecan	kernel	−24	12 months	Brar et al., 2015
		kernel	4	12 months	Brar et al., 2015
		kernel	22	12 months	Brar et al., 2015
	pistachio	inshell	−19	12 months	Kimber et al., 2012
		inshell	4	12 months	Kimber et al., 2012
		inshell	24	7 months	Kimber et al., 2012
	walnut	inshell	10	7 months	Frelka, 2013
		inshell	10	12 months	Frelka et al., 2016
		inshell	23–25	14 weeks	Blessington et al., 2013b
		kernel	23	5 weeks /15 weeks[1]	Blessington et al., 2012
Salmonella	almond	kernel	−20	6 months /18 months[2]	Uesugi et al., 2006
		kernel	−19	12 months	Kimber et al., 2012
		kernel	4	6 months /18 months	Uesugi et al., 2006
		kernel	4	48 weeks	Abd et al., 2012
		kernel	4	12 months	Kimber et al., 2012
		kernel	5	11 months	Hokunan et al., 2016
		kernel	15	11 months	Hokunan et al., 2016
		kernel	21	4 weeks	Komitopoulou and Peñaloza, 2009

L. J. Harris, S. Yada, L. R. Beuchat, and M. D. Danyluk. Initial funding (2009–2013) provided by USDA NIFSI, 2009-01951.
Updated 1/29/2018. For updates: http://ucfoodsafety.ucdavis.edu/files/191302.pdf

Pathogen	Nut	Nut type	Storage temp (°C)	Storage time	Reference
		kernel	23	6 months /18 months	Uesugi et al., 2006
		kernel	23	48 weeks	Abd et al., 2012
		kernel	23	14 weeks	Blessington et al., 2013a
		kernel	24	12 months	Kimber et al., 2012
		kernel	25	11 months	Hokunan et al., 2016
		kernel	35	6 months	Uesugi et al., 2006
	peanut	kernel	−24	12 months	Brar et al., 2015
		kernel	−20	3 months	Miksch et al., 2012
		kernel	4	3 months	Miksch et al., 2012
		kernel	4	12 months	Brar et al., 2015
		kernel	23	3 months	Miksch et al., 2012
		kernel	22	12 months	Brar et al., 2015
	pecan	inshell	−20	78 weeks (~18 months)	Beuchat and Mann, 2010
		inshell	−18	32 weeks	Beuchat and Heaton, 1975
		inshell	−7	32 weeks	Beuchat and Heaton, 1975
		inshell	4	78 weeks (~18 months)	Beuchat and Mann, 2010
		inshell	5	32 weeks	Beuchat and Heaton, 1975
		inshell	21	32 weeks	Beuchat and Heaton, 1975
		inshell	21	78 weeks (~18 months)	Beuchat and Mann, 2010
		inshell	37	78 weeks (~18 months)	Beuchat and Mann, 2010
		kernel halves or pieces	−20	52 weeks	Beuchat and Mann, 2010
		kernel	−24	12 months	Brar et al., 2015
		kernel halves	−18	32 weeks	Beuchat and Heaton, 1975
		kernel halves or pieces	4	52 weeks	Beuchat and Mann, 2010
		kernel	4	12 months	Brar et al., 2015
		kernel halves	5	32 weeks	Beuchat and Heaton, 1975
		kernel halves	21	32 weeks	Beuchat and Heaton, 1975
		kernel halves or pieces	21	52 weeks	Beuchat and Mann, 2010
		kernel	22	12 months	Brar et al., 2015
		kernel halves or pieces	37	52 weeks	Beuchat and Mann, 2010
	pistachio	inshell	−19	12 months	Kimber et al., 2012
		inshell	4	12 months	Kimber et al., 2012
		inshell	24	12 months	Kimber et al., 2012
	walnut	inshell	4	20 weeks /3 years[1]	Blessington et al., 2013b
		inshell	10	7 months	Frelka, 2013
		inshell	10	12 months	Frelka et al., 2016
		inshell	23–25	2 weeks /3 years	Blessington et al., 2013b
		kernel	−20	3 weeks /3 years	Blessington et al., 2012

Pathogen	Nut	Nut type	Storage temp (°C)	Storage time	Reference
		kernel	4	3 weeks /3 years	Blessington et al., 2012
		kernel	23	3 weeks /3 years	Blessington et al., 2012
		kernel	23	14 weeks	Blessington et al., 2013a

[1] Multiple studies over a range of storage times.

[2] 171 days (6 months) or 550 days (18 months).

L. J. Harris, S. Yada, L. R. Beuchat, and M. D. Danyluk. Initial funding (2009–2013) provided by USDA NIFSI, 2009-01951.
Updated 1/29/2018. For updates: http://ucfoodsafety.ucdavis.edu/files/191302.pdf

Table 2. Storage survival studies of foodborne pathogens on nut pastes and seed paste products

Pathogen	Nut	Nut or seed product	Storage temp (°C)	Storage time	Reference
Clostridium botulinum	peanut	peanut spread	30	16 weeks	Clavero et al., 2000
Escherichia coli O157:H7	peanut	peanut butter	4	30 days	He et al., 2011
		peanut butter	25	30 days	He et al., 2011
	sesame	tahini (sesame paste)	10	28 days	Al-Nabulsi et al., 2013
		tahini	21	28 days	Al-Nabulsi et al., 2013
		tahini	37	28 days	Al-Nabulsi et al., 2013
Listeria innocua	sesame	tahini	10		Al-Nabulsi et al., 2013
		tahini	21	28 days	Al-Nabulsi et al., 2013
		tahini	37	28 days	Al-Nabulsi et al., 2013
Listeria monocytogenes	peanut	chocolate-peanut spread	20	24 weeks	Kenney and Beuchat, 2004
		peanut butter	20	24 weeks	Kenney and Beuchat, 2004
Salmonella	peanut	peanut butter	4	14 days	Park et al., 2008
		peanut butter	4	30 days	He et al., 2011
		peanut butter	4	14 days	Ban and Kang, 2014
		peanut butter and spread	5	24 weeks	Burnett et al., 2000
		peanut butter	20	4 weeks	Grasso et al., 2010
		peanut paste	20	12 months	Kataoko et al., 2014
		peanut butter and spread	21	24 weeks	Burnett et al., 2000
		peanut butter	22	14 days	Park et al., 2008
		peanut butter	25	2 weeks	Keller et al., 2012
		peanut butter	25	14 days	Ban and Kang, 2014
		peanut butter	25	30 days	He et al., 2011
		peanut butter	25	4 weeks	He et al., 2013
	sesame	halva (sesame confection)	6	8 months	Kotzekidou, 1998
		halva	18–20	8 months	Kotzekidou, 1998
		tahini	4	16 weeks	Torlak et al., 2013
		tahini	10	28 days	Al-Nabulsi et al., 2014
		tahini	21	28 days	Al-Nabulsi et al., 2014
		tahini	22	16 weeks	Torlak et al., 2013
		tahini	37	28 days	Al-Nabulsi et al, 2014
Staphylococcus aureus	sesame	helva (halva)	4	9 months	Sengun et al., 2005
		helva (halva)	20	9 months	Sengun et al., 2005

References Cited

Abd, S. J., K. L. McCarthy, and L. J. Harris. 2012. Impact of storage time and temperature on thermal inactivation of *Salmonella* Enteritidis PT 30 on oil-roasted almonds. *J. Food Sci.* 71:M42–M47.

Al-Nabulsi, A. A., T. M. Osaili, R. R. Shaker, A. N. Olaimat, A. Attlee, M. A. Al-Holy, N. Zein Elabedeen, Z. W. Jaradat, and R. A. Holley. 2013. Survival of *E. coli* O157:H7 and *Listeria innocua* in tahini (sesame paste). *J. Food Agric. Environ.* 11(3-4): 303–306.

Al-Nabulsi, A. A., A. N. Olaimat, T. M. Osaili, R. R. Shaker, N. Zein Elabedeen, Z. W. Jaradat, A. Abushelaibi, and R. A. Holley. 2014. Use of acetic and citric acids to control *Salmonella* Typhimurium in tahini (sesame paste). *Food Microbiol.* 42:102–108.

Ban, G.-H., and D.-H. Kang. 2014. Effects of gamma irradiation for inactivating *Salmonella* Typhimurium in peanut butter product during storage. *Int. J. Food Microbiol.* 171:48–53.

Beuchat, L. R. 1973. *Escherichia coli* on pecans: Survival under various storage conditions and disinfection with propylene oxide. *J. Food Sci.* 38:1063–1066.

Beuchat, L. R., and E. K. Heaton. 1975. *Salmonella* survival on pecans as influenced by processing and storage conditions. *Appl. Microbiol.* 29:795–801.

Beuchat, L. R., and D. A. Mann. 2010. Factors affecting infiltration and survival of *Salmonella* on in-shell pecans and pecan nutmeats. *J. Food Prot*. 73(7):1257–1268.

Blessington, T., E. J. Mitcham, and L. J. Harris. 2012. Survival of *Salmonella enterica*, *Escherichia coli* O157:H7, and *Listeria monocytogenes* on inoculated walnut kernels during storage. *J. Food Prot.*75:245–254.

Blessington, T. E., C. G. Theofel, and L. J. Harris. 2013a. A dry-inoculation method for nut kernels. *Food Microbiol*. 33:292–297.

Blessington, T., C. G. Theofel, E. J. Mitcham, and L. J. Harris. 2013b. Survival of foodborne pathogens on inshell walnuts. *Int. J. Food Microbiol.* 166:341–348.

Brar, P. K., L. G. Proano, L. M. Friedrich, L. J. Harris, and M. D. Danyluk. 2015. Survival of *Salmonella*, *Escherichia coli* O157:H7, and *Listeria monocytogenes* on raw peanut and pecan kernels stored at −24, 4, and 22°C. *J. Food Prot.* 78:323–332.

Burnett, S. L., E. R. Gehm, W. R. Weissinger, and L. R. Beuchat. 2000. Survival of *Salmonella* in peanut butter and peanut butter spread. *J. Appl. Microbiol.* 89:472–477.

Cheng, T., and S. Wang. 2018. Influence of storage temperature/time and atmosphere on survival and thermal inactivation of *Escherichia coli* ATCC 25922 inoculated to almond powder. *Food Control* 86:350–358.

Clavero, M. R. S., R. E. Brackett, L. R. Beuchat, and M. P. Doyle. 2000. Influence of water activity and storage conditions on survival and growth of proteolytic *Clostridium botulinum* in peanut spread. *Food Microbiol.* 17:53–61.

Frelka, J. 2013. The influence of postharvest handling practices on the microbiota of English walnuts (*Juglans regia* L.). M.Sc. thesis. University of California, Davis.

Frelka, J. C., G. R. Davidson, and L. J. Harris. 2016. Changes in aerobic plate and *Escherichia coli*–coliform counts and in populations of inoculated foodborne pathogens on inshell walnuts during storage. *J. Food Prot.* 79:1143–1153. doi:10.4315/0362-028XJFP-15-553

Grasso, E. M., J. A. Somerville, V. M. Balasubramaniam, and K. Lee. 2010. Minimal effects of high-pressure treatment on *Salmonella enterica* serovar Typhimurium inoculated into peanut butter and peanut products. *J. Food Sci.* 75(8):E522–E526.

He, Y., D. Guo, J. Yang, M. L. Tortorello, and W. Zhang. 2011. Survival and heat resistance of *Salmonella enterica* and *Escherichia coli* O157:H7 in peanut butter. *Appl. Environ. Microbiol.* 77(23):8434–8438.

He, Y., Y. Li, J. K. Salazar, J. Yang, M. L. Tortorello, and W. Zhang. 2013. Increased water activity reduces thermal resistance of *Salmonella enterica* in peanut butter. *Appl. Environ. Microbiol.* 79(15):4763–4767.

Hokunan, H., K. Koyama, M. Hasegawa, S. Kawamura, and S. Koseki. 2016. Survival kinetics of *Salmonella enterica* and enterohemorrhagic *Escherichia* coli on a plastic surface at low relative humidity and on low–water activity foods. *J. Food Prot*. 79:1680–1692.

Kataoka, A., E. Enache, D. G. Black, P. H. Elliott, C. D. Napier, R. Podolak, and M. M. Hayman. 2014. Survival of *Salmonella* Tennessee, *Salmonella* Typhimurium DT104, and *Enterococcus faecium* in peanut paste formulations at two different levels of water activity and fat. *J. Food Prot.* 77:1252–1259.

Keller, S. E., E. M. Grasso, L. A. Halik, G. J. Fleischman, S. J. Chirtel, and S. F. Grove. 2012. Effect of growth on the thermal resistance and survival of *Salmonella* Tennessee and Oranienburg in peanut butter, measured by a new thin-layer thermal death time device. *J. Food Prot.* 75:1125–1130.

Kenney, S. J., and L. R. Beuchat. 2004. Survival, growth, and thermal resistance of Listeria monocytogenes in products containing peanut and chocolate. *J. Food Prot.* 67:2205–2211.

Kimber, M. A., H. Kaur, L. Wang, M. D. Danyluk, and L. J. Harris. 2012. Survival of *Salmonella*, *Escherichia coli* O157:H7, and *Listeria monocytogenes* on inoculated almonds and pistachios stored at −19, 4, and 24°C. *J. Food Prot*. 75:1394–1403.

Kokal, D. 1965. Viability of *Escherichia coli* on English walnut meats (*Juglans regia*). *J. Food Sci.* 30:325–332.

Komitopoulou, E., and W. Peñaloza. 2009. Fate of *Salmonella* in dry confectionery raw materials. *J. Appl. Microbiol*. 106:1892–1900.

Kotzekidou, P. 1998. Microbial stability and fate of *Salmonella* Enteritidis in halva, a low-moisture confection. *J. Food Prot.* 61:181–185.

Miksch, R., T. Mai, and M. Samadpour. 2012. Survival of *Salmonell*a spp. and *Escherichia coli* O157:H7 inoculated in raw peanuts stored at −20, 4, and 23°C, (Abstract P1-166). IAFP Annual Meeting, Providence, RI, July 22–25.

Park, E.-J., S.-W. Oh, and D.-H. Kang. 2008. Fate of *Salmonella* Tennessee in peanut butter at 4 and 22 ºC. *J. Food Sci.* 73:M82–M86.

Sengun, I. Y., O. Hancioglu, and M. Karapinar. 2005. Microbiological profile of helva sold at retail markets in Izmir city and the survival of *Staphylococcus aureus* in this product. *Food Control* 16(10):840–844.

Torlak, E., D. Sert, and P. Serin. 2013. Fate of *Salmonella* during sesame seeds roasting and storage of tahini. *Int. J. Food Microbiol*. 163:214–217.

Uesugi, A. R., M. D. Danyluk, and L. J. Harris. 2006. Survival of *Salmonella* Enteritidis phage type 30 on inoculated almonds at −20, 4, 23 and 35°C. *J. Food Prot.* 69:1851–1857.