

04/15/22 through 04/21/22

Crops (Leafout Date)	#148 Merced				#39 Parlier				#258 Lemon Cove			
	4/15 - 4/21	Accum'd	4/22 - 4/28		4/15 - 4/21	Accum'd	4/22 - 4/28		4/15 - 4/21	Accum'd	4/22 - 4/28	
	Water	Seasonal	Estimated		Water	Seasonal	Estimated		Water	Seasonal	Estimated	
	Use	Water Use	ETc		Use	Water Use	ETc		Use	Water Use	ETc	
Almonds (3/1) *	0.76	5.05	1.20		0.96	5.20	1.16		0.97	4.99	1.12	
Pistachio (4/8) * **	0.34	0.60	0.73		0.42	0.70	0.70		0.42	0.68	0.68	
Citrus (2/1)	0.70	7.41	1.02		0.89	7.58	0.98		0.89	7.36	0.95	
Raisin Grapes (3/15) (11 ft. row spacing)	0.20	0.68	0.33		0.27	0.75	0.32		0.27	0.74	0.31	
Winegrapes (3/15) (10 ft. spacing on California Sprawl Trellis)	0.25	0.99	0.38		0.31	1.06	0.37		0.31	1.04	0.36	
Walnuts (4/8)	0.70	1.38	0.99		0.88	1.59	0.95		0.87	1.55	0.92	
Stone Fruit (3/10)	0.41	2.11	0.77		0.49	2.18	0.74		0.49	2.12	0.72	
Past 7 days precipitation (inches)		0.51				0.16				0.11		
Accumulated precipitation (inches) (1/1/2022)		1.75				1.74				1.65		

Dates in parentheses above, indicate leaf out or starting date for ET accumulation for the specific crop

* Estimates are for orchard floor conditions where vegetation is managed by some combination of strip applications of herbicides, frequent mowing or tillage, and by mid and late season shading and water stress. Weekly estimates of soil moisture loss can be as much as 25 percent higher in orchards where cover crops are planted and managed more intensively for maximum growth.

** Very vigorous, non-salt affected peak season pistachio Kc can be as high as 1.19 – resulting in about 8% greater water use than shown in these tables.

PAST WEEKLY APPLIED WATER IN INCHES, ADJUSTED FOR EFFICIENCY ¹

Crops	#148 Merced				#39 Parlier				#258 Lemon Cove			
System Efficiency >>	65%	75%	85%	95%	65%	75%	85%	95%	65%	75%	85%	95%
Almonds (3/1)	1.2	1.0	0.9	0.8	1.5	1.3	1.1	1.0	1.5	1.3	1.1	1.0
Pistachio (4/8)	0.5	0.5	0.4	0.4	0.6	0.6	0.5	0.4	0.6	0.6	0.5	0.4
Citrus (2/1)	1.1	0.9	0.8	0.7	1.4	1.2	1.0	0.9	1.4	1.2	1.0	0.9
Raisin Grapes (3/15) (11 ft. row spacing)***	Assume all grape			0.2	Assume all grape			0.3	Assume all grape			0.3
Winegrapes (3/15) (10 ft. spacing on California Sprawl Trellis) ***	irrigation type is drip			0.3	irrigation type is drip			0.3	irrigation type is drip			0.3
Walnuts (4/8)	1.1	0.9	0.8	0.7	1.4	1.2	1.0	0.9	1.3	1.2	1.0	0.9
Stone Fruit (3/10)	0.6	0.5	0.5	0.4	0.8	0.7	0.6	0.5	0.8	0.7	0.6	0.5

¹ The amount of water required by a specific irrigation system to satisfy evapotranspiration. Typical ranges in irrigation system efficiency are: Drip, 80%-95%; Micro-sprinkler, 80%-90%; Sprinkler, 70%-85%; and Border-furrow, 50%-75%.

PAST WEEKLY APPLIED WATER IN GALLON PER TREE OR VINE

Crops	#148 Merced				#39 Parlier				#258 Lemon Cove			
Almonds 115 Trees/A	283	236	213	189	354	307	260	236	354	307	260	236
Pistachio 106 Trees/A	125	125	100	100	149	149	125	100	149	149	125	100
Citrus 110 Trees/A	272	222	197	173	346	296	247	222	346	296	247	222
Raisin Grapes 566 Vines/A	Assume all grape			10	Assume all grape			14	Assume all grape			14
Winegrapes 622 Vines/A	irrigation type is drip			13	irrigation type is drip			13	irrigation type is drip			13
Walnuts 76 Trees/A	393	322	286	250	500	429	357	322	464	429	357	322
Stonefruit 172 Trees/A	95	79	79	63	126	111	95	79	126	111	95	79

For further information concerning all counties receiving this report, contact the Fresno Co. Farm Advisor's office at (559) 241-7526.

For further information concerning all counties receiving this report, contact the Fresno Co. Farm Advisor's office at (559) 241-7526.