

Chickweed herbicide resistance in small grain forages and alfalfa

Nick Clark, CCA, Agronomy & Nutrient Mgmt. Farm Advisor – UC Cooperative Extension in Tulare, Kings & Fresno Counties. neclark@ucanr.edu; 559-852-2788

Anil Shrestha, Professor, and Jennifer Valdez, MS student, Plant Science – CSU Fresno

Kate Waselkov, Professor, Biology – CSU Fresno

November 18, 2024, for UC Golden State Dairy Management Conference in Modesto, CA







Weeds commonly found in SJV small grains

- informal interviews























University of California
Agriculture and Natural Resources



What PCAs reported

- Chickweed escapes using:
 - Pyroxsulam
 - Tribenuron







What UC and CSU checked

- Environmental conditions
- Other weeds present
- Unsprayed areas in field
- Application records
- Modified efficacy test, 2021
- Controlled environment bioassays, 2022-23


















University of California
Agriculture and Natural Resources





University of California
Agriculture and Natural Resources

Greenhouse evaluations, two repetitions

- Planted fall and spring 2022-23
- Sprayed at 2 true leaves, < 3" tall
- Evaluated weekly for four weeks
- 5 reps









Pyroxsulam – UTC

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Pyroxsulam – 0.5 X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Pyroxsulam – 1X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Pyroxsulam - 2X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Pyroxsulam - 4X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Pyroxsulam – 8X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Tribenuron – UTC

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Tribenuron -0.5X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Tribenuron – 1X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Tribenuron - 2X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Tribenuron - 4X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Tribenuron – 8X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Mesosulfuron – UTC

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Mesosulfuron - 0.5X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)








Mesosulfuron – 1X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Mesosulfuron - 2X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Mesosulfuron - 4X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)



Mesosulfuron – 8X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazethapyr – UTC

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazethapyr - 0.5X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazethapyr – 1X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazethapyr – 2X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)



Imazethapyr - 4X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)





Imazethapyr – 8X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazamox – UTC

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazamox - 0.5X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazamox – 1X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazamox - 2X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazamox - 4X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)







Imazamox – 8X

PCA identified field 2 (suspected resistant)

PCA identified field 2 (suspected resistant)

PCA identified field 1 (suspected resistant)








Is Yield Affected?

Preliminary results









Some solutions

Existing tools



REMINDER: IPM best management practices for weed control

- Application timing for conditions
- Correct weed and crop stage
- Coverage
- Tank mix partners for broad spectrum of weeds & improving efficacy of tough weeds
- Top allowable label rates to zap tough weeds
- Rotate chemistry



AI's (WSSA/HRAC code) still CA registered for wheat with noted activity on chickweed – **Check the label**

Over the top post-emergence	Pre-crop or -weed emergence
2,4-D (4)	Trifluralin (3)
Dicamba (4)	Pendimethalin (3)
MCPA (4)	Glyphosate (9)
Diuron (5)	Flumioxazin (14)
Bromoxynil (6)	Saflufenacil (14)
Pyraflufen-ethyl (14)	





AI's (WSSA/HRAC code) registered in CA for alfalfa with noted activity on chickweed – Check the label

Active Ingredients ordered by WSSA/HRAC code. <u>Tenunique modes of action</u> registered in alfalfa.

Halosulfuron (2)	Diuron (7)
Imazamox (2)	EPTC (8)
Imazethapyr (2)	K N-methyldithiocarbamate (8)
Benfluralin (3)	Glyphosate (9)
Pronamide (3)	Norflurazon (12)
Trifluralin (3)	Flumioxazin (14)
Pendimethalin (3)	Carfentrazone (14)
MCPA (4)	Saflufenacil (14)
Hexazinone (5)	Paraquat (22)
Metribuzin (5)	





THANK YOU

Nick Clark, CCA, Agronomy & Nutrient Mgmt. Farm Advisor – UC Cooperative Extension in Tulare, Kings & Fresno Counties. neclark@ucanr.edu; 559-852-2788

Anil Shrestha, Professor, and Jennifer Valdez, MS student, Plant Science – CSU Fresno

Kate Waselkov, Professor, Biology – CSU Fresno

November 18, 2024, for UC Golden State Dairy Management Conference in Modesto, CA





