The Honorable Debbie Stabenow Chairwoman Senate Agriculture Committee 731 Hart Senate Office Building Washington, D.C. 20510

The Honorable John Boozman Ranking Member Senate Agriculture Committee 141 Hart Senate Office Building Washington, D.C. 20510



University of California Research Consortium on Beverages and Health

March 7, 2022

Dear Chairwoman Stabenow, Ranking Member Boozman, and Committee Members:

We, the members of the University of California Research Consortium on Beverages and Health, strongly recommend that during reauthorization of the child nutrition programs, **Congress** direct USDA to develop and implement an explicit standard that limits added sugars in federal child nutrition program meals and snacks and for competitive foods.

This will bring these programs into alignment with the Dietary Guidelines for Americans, as already required by law.

Our Consortium includes faculty from every UC campus with expertise in various aspects of sugar science – its metabolism, health impacts, environmental and economic impacts – as well as in policies to decrease consumption of added sugars, particularly sugary drinks.

This is why we wish to underscore the extensive research linking consumption of added sugars to myriad diet-related chronic diseases. We want to emphasize that **the detrimental effects of added sugars go beyond simply their inherent calories**. Added sugars affect energy utilization within the liver, leading to metabolic disorders such as fatty liver, hyperlipidemia and insulin resistance. In the Addendum we provide background information and our rationale in support of this request, with selected key citations from the scientific literature.

The Centers for Disease Control states, "Americans are eating and drinking too many added sugars."<sup>1</sup> The federal child nutrition programs reach 30 million children annually, and childhood is an important time in which to lay the foundation for healthy eating habits. **This is more important than ever, given the impact of COVID-19 on children's nutrition and health status.** 

During COVID-19, child obesity has increased dramatically.<sup>2</sup> A retrospective study of 430,000 children showed **a nearly double rate of Body Mass Index (BMI) increase during 6 pandemic** 

The University of California Research Consortium on Beverages and Health includes faculty from every UC campus working to provide legislators and communities with the science base for policy to decrease consumption of sugary drinks and increase consumption of water and other healthy beverages. University of California Research Consortium on Beverages and Health • Bringing Science to Policy • For more information please contact: <u>ceahecht@ucanr.edu</u> • **months in 2020** as compared to 6 pre-pandemic months in 2019.<sup>3</sup> Children and families have also suffered an increase in unmet needs for dental care.<sup>4</sup> Equally, there is now extensive science showing that several diet-related chronic conditions are leading risk factors for more severe COVID-19 symptoms (and drastically higher health care expenses) and mortality.<sup>5</sup> As children are now returning to child care, preschool and school programs, **this is a critical time to reinstate healthy and science-based child nutrition standards to return children onto a trajectory toward better nutrition, oral health and overall health.** 

We strongly urge Congress and the U.S. Department of Agriculture to use all possible means to reduce the risk of the burdensome diet-related chronic conditions that affect the majority of the U.S. population, with a disproportionate burden on marginalized populations.<sup>6</sup> Reducing consumption of added sugars is a critical strategy.<sup>7</sup>

Thank you for your consideration of our request,

The University of California Research Consortium on Beverages and Health:

#### Paul Brown, PhD

Professor of Health Economics and Public Health University of California, Merced

#### Nancy Chen, PhD, MA

Professor, Department of Anthropology University of California, Santa Cruz

#### David A. Cleveland, PhD, MS

Research Professor Environmental Studies Program, and Department of Geography University of California, Santa Barbara

#### Pat Crawford, DrPH, RD

Adjunct Professor School of Public Health University of California, Berkeley

## Jennifer Falbe, ScD, MPH

Assistant Professor of Nutrition and Human Development Department of Human Ecology University of California, Davis

## Christina Hecht, PhD

Senior Policy Advisor Nutrition Policy Institute University of California, Division of Agriculture and Natural Resources

## Kenneth Hecht, LLB

Director of Policy Nutrition Policy Institute University of California, Division of Agriculture and Natural Resources

#### Jeannie Huang, MD MPH

Director, Continuing Medical Education Rady Children's Hospital San Diego Professor of Pediatrics University of California, San Diego

#### Cristin Kearns, DDS, MBA

Department of Preventive and Restorative Dental Sciences and Philip R. Lee Institute for Health Policy Studies Assistant Professor, Division of Oral Epidemiology & Dental Public Health and Philip R. Lee Institute for Health Policy Studies School of Dentistry University of California, San Francisco

#### Robert Lustig, MD, MSL

Emeritus Professor, Department of Pediatrics University of California, San Francisco

#### Kristine Madsen, MD, MPH

Professor, Joint Medical Program & Public Health Nutrition School of Public Health University of California, Berkeley

#### Isaac Martin, PhD

Professor, Urban Studies and Planning University of California, San Diego

## Mehdi Nemati, PhD

Assistant Professor of CE in Water Resource Economics and Policy School of Public Policy University of California, Riverside

## **Candice Allister Price, PhD**

Assistant Adjunct Professor Department of Molecular Biosciences School of Veterinary Medicine University of California, Davis

#### Francisco Ramos-Gomez, DDS, MS, MPH

Professor, Section of Pediatric Dentistry School of Dentistry University of California, Los Angeles

#### Laura A. Schmidt, PhD, MSW, MPH

Professor, Philip R. Lee Institute for Health Policy Studies and Department of Anthropology, History and Social Medicine School of Medicine University of California, San Francisco

#### Karen Sokal-Gutierrez, MD, MPH

Clinical Professor UC Berkeley-UC San Francisco Joint Medical Program UC Berkeley Interdisciplinary MPH Program School of Public Health University of California, Berkeley

## Wendelin Slusser, MD, MS, FAAP

Associate Vice Provost Semel Healthy Campus Initiative Center University of California, Los Angeles Clinical Professor Schools of Medicine and Public Health University of California, Los Angeles

#### Kimber L. Stanhope, PhD, MS, RD

Research Nutritional Biologist Department of Molecular Biosciences School of Veterinary Medicine University of California, Davis

## Petra Wilder-Smith, DDS, DMD, PhD

Professor and Director of Dentistry Beckman Laser Institute Senior Fellow, Chao Family Comprehensive Cancer Center University of California, Irvine

#### Cherie Wink, BS, RDHMP

Assistant Research Specialist Beckman Laser Institute University of California, Irvine

# Addendum

# The law

The Healthy, Hunger-Free Kids Act "requires that school meals reflect the latest Dietary Guidelines for Americans."<sup>8</sup> The absence of an explicit standard for added sugars means that the program does not meet this goal. In fact, the majority of schools provide meals that far exceed the amount of added sugar recommended in the 2015-2020 Dietary Guidelines.<sup>9</sup>

# Recommended levels for added sugars in the diet

The **2015-2020 and 2020-2025 Dietary Guidelines for Americans** recommend that Americans aged 2 years and older keep their intake of added sugars to less than 10% of their total daily calories. For example, in a 2,000-calorie diet, no more than 200 calories should come from added sugars (about 12 teaspoons). The new 2020-2025 Dietary Guidelines add guidance for infants from birth to 24 months of age and recommend that children younger than 2 years should not be fed any foods and beverages with added sugars.<sup>10</sup>

The **Scientific Report of the 2020 Dietary Guidelines Advisory Committee**, in fact, went farther and advised that "the recommendation be decreased from 10 percent to 6 percent of energy from added sugars." The Report explains that "for adults and children ages 2 years and older, a recommendation of less than 6 percent of energy from added sugars is more consistent with a dietary pattern that is nutritionally adequate while avoiding excess energy intake than is a pattern with less than 10 percent energy from added sugars."

The American Heart Association (AHA) recommends that children consume no more than 25 grams (100 calories or about 6 teaspoons) of added sugars per day and that children under 2 years of age should avoid added sugars altogether. AHA states, "Although added sugars most likely can be safely consumed in low amounts as part of a healthy diet, few children achieve such levels, making this an important public health target."<sup>12</sup>

It should be noted that the final rule for CACFP does include restrictions on added sugars in yoghurt (no more than 23 grams sugars per 6 oz of yoghurt), prohibits flavored milk for children ages 2 through 5, and recommends as a best practice that flavored milk contain no more than 22 grams of sugar per 8 fluid ounces for children 6 years old and older.<sup>13</sup> For reference, 22 grams of sugar equals just over five teaspoons of sugar.

## Definition and sources of added sugars in the American diet

Added sugars come from many sources including from sugarcane or sugar beets (table sugar), from starches such as corn (including high-fructose corn syrup), from syrups and honey, and from concentrated fruit or vegetable juices.<sup>14</sup> The building blocks of these sugars are glucose

and fructose, and depending upon how the glucose and fructose molecules are combined, they are metabolized (processed) differently in the body.

Nearly 70 percent of added sugars in the U.S. diet comes from five food categories: sweetened beverages, desserts and sweet snacks, pre-sweetened coffee and tea drinks, candy and sugars, and breakfast cereals and bars. Among younger children ages 2 to 5 years and 6 to 11 years, higher fat milk and yogurt products and burgers and sandwiches, respectively, are among the top 5 contributors to added sugars intake (replacing pre-sweetened coffee and tea drinks which are among the top five for adults).<sup>15</sup>

# The impacts of added sugars on health: excess calories, metabolic disturbances, chronic disease

The scientific evidence shows how critical it is for Americans to reduce their intake of added sugars.

Foodstuffs with abundant **added sugars are among the top sources of dietary calories** in the American diet. On a given day, the top sources of calories for U.S. children aged 2-18 were sugar-sweetened beverages (soda and fruit drinks combined) (173 kcal/day), grain desserts (138 kcal/day), and pizza (136 kcal/day).<sup>16</sup>

The Scientific Report of the 2020 Dietary Guidelines Advisory Committee explains that when added sugars comprise more than about 10% of daily dietary intake, it typically signifies consumption of unhealthy sweetened foods in place of more nutritious items and/or an excess of calories.<sup>17</sup>

The scientific literature contains arguments both for<sup>18</sup> and against the presumption that added sugars are a health risk simply because a diet high in added sugars tends to lead to excessive energy (caloric) intake.<sup>a</sup> However, evidence indicates that, **independent of calories, added sugars have detrimental metabolic effects that are not due to weight gain and occur even in the absence of weight gain**.<sup>19,20</sup> The main added sugars contain both fructose and glucose. Primarily, the unique metabolism of fructose allows it to overload the liver, which stimulates production of both fatty acids and uric acid, while inhibiting fat burning. At the same time the

<sup>&</sup>lt;sup>a</sup> Investigation has unraveled a history of industry-sponsored research that may bias scientific considerations (Stanhope, KL. Sugar consumption, metabolic disease and obesity: The state of the controversy. *Crit Rev Clin Lab Sci*, 2016. **53**(1): p. 52-67; Kearns CE, Schmidt LA, Glantz SA. Sugar Industry and Coronary Heart Disease Research: A Historical Analysis of Internal Industry Documents [published correction appears in JAMA Intern Med. 2016 Nov 1;176(11):1729]. *JAMA Intern Med*.

<sup>2016;176(11):1680-1685)</sup> and that has promoted the hazards of consumption of fats over the hazards of consumption of added sugars. (Kearns CE, et al. Sugar Industry and Coronary Heart Disease Research: A Historical Analysis of Internal Industry Documents. *JAMA Intern Med.* 2016;176(11):1680-1685. O'Connor AO. *How the Sugar Industry Shifted Blame to Fat.* At

https://www.nytimes.com/2016/09/13/well/eat/how-the-sugar-industry-shifted-blame-to-fat.html)

glucose causes glucose and insulin spikes in the blood. These direct effects of added sugar consumption have detrimental downstream consequences – fatty liver, hyperlipidemia, and insulin resistance – that increase risk for metabolic syndrome, cardiovascular disease and type 2 diabetes. The main risk factor for cardiovascular disease (LDL-cholesterol) is increased more potently when a combination of fructose and glucose is consumed (i.e. high fructose corn syrup) than when an equal amount of either pure fructose or pure glucose is consumed.<sup>21</sup>

The Scientific Report of the 2020 Dietary Guidelines Advisory Committee also provides thorough documentation of the prevalence of diet-related chronic disease in the U.S. population. Extensive science shows that excess **consumption of added sugars is a risk factor for many diet-related chronic diseases, including but not limited to:** 

- Obesity<sup>22</sup>
  - Modelling shows that if current trends continue, the prevalence of obesity in the U.S. adult population will rise to 48.9% by 2030, while 24.2% of US adults will have severe obesity.<sup>23</sup>
- Metabolic diseases including type 2 diabetes and fatty liver disease<sup>24</sup>
  Non-alcoholic fatty liver disease is rising among children.<sup>25</sup>
- Cardiovascular diseases<sup>26</sup>
  - $\circ$   $\;$  Even children can develop dyslipidemia and hypertension.  $^{27}$
- Dental decay<sup>28,29</sup>
  - Tooth decay is one of the most common chronic diseases of children and adolescents<sup>30</sup>

The mechanisms underlying the synergy between fructose and glucose, as well as their individual effects, in inducing negative health effects in humans are not fully understood. However, the consensus among some of the most prominent researchers<sup>31,32,33,34</sup> in the world is that **fructose and added sugar consumption is a modifiable risk factor** for the chronic diseases that are burdening our healthcare system.

# Today's children are tomorrow's adults: Other costs to the nation stemming from excessive intake of added sugars

# Healthcare

- Obesity: Cawley et al. estimated the 2016 aggregate direct medical costs (inpatient, outpatient, and prescription drugs) of obesity among adults in the United States was \$260.6 billion. Individuals with obesity had at least double the medical bills of those without obesity.<sup>35</sup>
- Diabetes: The American Diabetes Association estimated the 2017 annual cost of diagnosed diabetes in the U.S. at \$327 billion. This includes \$237 billion in direct medical costs and \$90 billion in reduced productivity. Of note, 67.3% of medical costs is provided by government insurance (including Medicare, Medicaid, and the military).<sup>36</sup>

- Cardiovascular disease (CVD): The American Heart Association names cardiovascular disease as the leading killer of Americans and states that the cost to the nation in 2016 was \$555B \$318B in medical costs and \$237B in lost productivity. These costs are estimated to rise to \$1.1T by 2035.<sup>37</sup>
  - Treatment for hypertension, alone, was \$70.7B in 2016.<sup>38</sup>
- In our state of California, the most recent figures indicate:
  - Total health care and related costs for treatment for type 2 diabetes were estimated at about \$24.5B/year in 2012.<sup>39</sup>
    - CDC estimates for 2013 type 2 diabetes placed direct medical costs at \$7B for Medicare, \$3B for Medi-Cal, and \$10B to other payers, while indirect costs of diabetes-related morbidity and mortality were estimated at \$30B.<sup>40,41</sup>
  - Overweight and obesity-related health costs were estimated at almost \$21B in 2006.<sup>42</sup>
  - In 2009, public and private expenditures on dental services totaled \$14.7B.<sup>43</sup>

# Environment

- Healthcare for diet-related diseases generates tremendous greenhouse gas emissions (GHGE). In 2013 GHGE from U.S. health care made up 9.8% (or 655 million metric tons carbon dioxide equivalents (Mt CO<sub>2-</sub>e)) of the national total.<sup>44</sup>
- We calculate that the reduced need for healthcare if U.S. adults aged 30-84 reduced their added sugar intake by *just ½ teaspoon* (2.1 grams) per person per day would result in a reduction of 338 tonnes of greenhouse gas emissions (GHGE) per year (based on Eckelman and Sherman, 2016, *ibid*.)

# Military

- Obesity is the leading disqualifier for fitness to serve in the military.<sup>45</sup>
- The Department of Defense spends \$1.5B annually on healthcare costs related to obesity for active duty and former service members and their families.<sup>46</sup>

## Disparities in prevalence and impact of diet-related chronic diseases

These diet-related chronic conditions are also rife with disparities<sup>47,48, 49,50,51</sup> and exacerbate economic inequities in the U.S.<sup>52</sup>

 For example, 44.3% of California children in families under 100% of federal poverty level (FPL) are overweight or obese while 21.2% of California children in families over 400% of FPL are overweight or obese.<sup>53</sup>

# The power of change

Huang et al. modeled a scenario in which US adults aged 30-84 reduced their added sugar intake by *just ½ teaspoon* (2.1 grams) per person per day on average.

 Based on the resulting reduction in risk of just three diseases, coronary heart disease (CHD), stroke, and type 2 diabetes, the authors estimated \$31B savings in U.S. health care costs over 20 years (2018-2037).<sup>54</sup>

# **Building healthy habits**

It is important to lay the foundation for healthy eating habits early in life.<sup>55,56,57</sup>

# References

<sup>1</sup>Centers for Disease Control. *Get the Facts: Added Sugars.* At, <u>https://www.cdc.gov/nutrition/data-statistics/added-sugars.html</u>

<sup>2</sup> Jenssen, B. P., Kelly, M. K., Powell, M., Bouchelle, Z., Mayne, S. L., & Fiks, A. G. COVID-19 and Changes in Child Obesity. *Pediatrics*. 2021. **147**(5).

<sup>3</sup> Lange SJ, Kompaniyets L, Freedman DS, et al. Longitudinal Trends in Body Mass Index Before and During the COVID-19 Pandemic Among Persons Aged 2–19 Years — United States, 2018–2020. *MMWR Morb Mortal Wkly Rep* 2021;70:1278–1283.

<sup>4</sup> Jacqueline M. Burgette, Robert J. Weyant, Anna K. Ettinger, Elizabeth Miller, Kristin N. Ray. What is the association between income loss during the COVID-19 pandemic and children's dental care? *JADA* 2021. **152**(5):369-376.

<sup>5</sup> Richardson S, Hirsch JS, Narasimhan M, et al. Presenting Characteristics, Comorbidities, and Outcomes Among 5700 Patients Hospitalized With COVID-19 in the New York City Area. *JAMA*. 2020. **323**(20):2052–2059.

<sup>6</sup> Dietary Guidelines Advisory Committee. 2020. *Scientific Report of the 2020 Dietary Guidelines Advisory Committee: Advisory Report to the Secretary of Agriculture and the Secretary of Health and Human Services*. U.S. Department of Agriculture, Agricultural Research Service, Washington, DC At <a href="https://www.dietaryguidelines.gov/sites/default/files/2020-">https://www.dietaryguidelines.gov/sites/default/files/2020-</a>

07/ScientificReport\_of\_the\_2020DietaryGuidelinesAdvisoryCommittee\_first-print.pdf

<sup>7</sup> Vreman RA, Goodell AJ, Rodriguez LA, Porco TC, Lustig RH, Kahn JG. Health and economic benefits of reducing sugar intake in the USA, including effects via non-alcoholic fatty liver disease: a microsimulation model. *BMJ Open*. 2017;7(8):e013543. Published 2017 Aug 3. doi:10.1136/bmjopen-2016-013543.
 <sup>8</sup> USDA FNS Nutrition Standards in NSLP and SBP; Final Rule. *Fed Regis*. 2012 Jan 26; 77(17):4088-167.

<sup>9</sup> Fox MK, Gearan EC, Schwartz C. Added Sugars in School Meals and the Diets of School-Age Children. *Nutrients*. 2021. **13**(2):471.

<sup>10</sup> US Department of Agriculture and US Department of Health and Human Services. <u>Dietary Guidelines for</u> <u>Americans, 2020-2025.</u> 9<sup>th</sup> Edition . December 2020.

<sup>11</sup> Dietary Guidelines Advisory Committee. 2020. *Scientific Report of the 2020 Dietary Guidelines Advisory Committee: Advisory Report to the Secretary of Agriculture and the Secretary of Health and Human* 

*Services*. U.S. Department of Agriculture, Agricultural Research Service, Washington, DC. At <u>https://www.dietaryguidelines.gov/sites/default/files/2020-</u>

<u>07/ScientificReport\_of\_the\_2020DietaryGuidelinesAdvisoryCommittee\_first-print.pdf</u>

<sup>12</sup> Vos MB, Kaar JL, Welsh JA, Van Horn LV, Feig DI, et al. American Heart Association Nutrition Committee of the Council on Lifestyle and Cardiometabolic Health; Council on Clinical Cardiology; Council on Cardiovascular Disease in the Young; Council on Cardiovascular and Stroke Nursing; Council on Epidemiology and Prevention; Council on Functional Genomics and Translational Biology; and Council on Hypertension. Added Sugars and Cardiovascular Disease Risk in Children: A Scientific Statement From the American Heart Association. *Circulation*. 2017. **135**(19):e1017-e1034.

<sup>13</sup> US Department of Agriculture Food and Nutrition Service. 7 CFR Parts 210, 215, 220, and 226 [FNS–2011–0029] RIN 0584–AE18. Child and Adult Care Food Program: Meal Pattern Revisions Related to the Healthy, Hunger-Free Kids Act of 2010. Final rule. At <u>https://www.govinfo.gov/content/pkg/FR-2016-04-25/pdf/2016-09412.pdf</u>

<sup>14</sup> Dietary Guidelines Advisory Committee. 2020. *Scientific Report of the 2020 Dietary Guidelines Advisory Committee: Advisory Report to the Secretary of Agriculture and the Secretary of Health and Human Services*. U.S. Department of Agriculture, Agricultural Research Service, Washington, DC. At <u>https://www.dietaryguidelines.gov/sites/default/files/2020-</u>

07/ScientificReport of the 2020DietaryGuidelinesAdvisoryCommittee first-print.pdf

<sup>15</sup> Dietary Guidelines Advisory Committee. 2020. *Scientific Report of the 2020 Dietary Guidelines Advisory Committee: Advisory Report to the Secretary of Agriculture and the Secretary of Health and Human Services*. U.S. Department of Agriculture, Agricultural Research Service, Washington, DC. At <u>https://www.dietaryguidelines.gov/sites/default/files/2020-</u>

07/ScientificReport\_of\_the\_2020DietaryGuidelinesAdvisoryCommittee\_first-print.pdf

<sup>16</sup> Reedy J, Krebs-Smith SM. Dietary sources of energy, solid fats, and added sugars among children and adolescents in the United States. *J Am Diet Assoc*. 2010. 110: 1477-1484.

<sup>17</sup> Dietary Guidelines Advisory Committee. 2020. *Scientific Report of the 2020 Dietary Guidelines Advisory Committee: Advisory Report to the Secretary of Agriculture and the Secretary of Health and Human Services*. U.S. Department of Agriculture, Agricultural Research Service, Washington, DC. At https://www.dietaryguidelines.gov/sites/default/files/2020-

07/ScientificReport of the 2020DietaryGuidelinesAdvisoryCommittee first-print.pdf

<sup>18</sup> Macdonald IA. A review of recent evidence relating to sugars, insulin resistance and diabetes. *Eur J Nutr*. 2016. **55**(Suppl 2):17-23.

<sup>19</sup> Stanhope KL Goran MI, Bosy-Westphal A, King JC, Schmidt LA, et al. Pathways and mechanisms linking dietary components to cardiometabolic disease: thinking beyond calories. *Obes Rev.* 2018. **19**(9):1205-1235.

<sup>20</sup> Lustig R, Schmidt LA & Brindis C. "The Toxic Truth About Sugar." *Nature*, 2012. 482: 27-9.

<sup>21</sup> Hieronimus B, et al., Synergistic effects of fructose and glucose on lipoprotein risk factors for cardiovascular disease in young adults. *Metabolism*, 2020. **112**: p. 154356.

<sup>22</sup> Malik VS, Popkin BM, Bray GA, Després J-P, Hu FB Sugar-sweetened beverages, obesity, type 2 diabetes mellitus, and cardiovascular disease risk. *Circulation*. 2010. 121:1356–1364

<sup>23</sup> Ward ZJ, et al. Projected U.S. State-Level Prevalence of Adult Obesity and Severe Obesity. *N Engl J Med* 2019. 381:2440-50.

<sup>24</sup> Neuenschwander M, Ballon A, Weber KS, Norat T, Aune D, Schwingshackl L, Schlesinger S. Role of diet in type 2 diabetes incidence: umbrella review of meta-analyses of prospective observational studies. *BMJ*. 2019. 366:12368.

<sup>25</sup> Uppal V, Mansoor S, Furuya KN. Pediatric Non-alcoholic Fatty Liver Disease. *Curr Gastroenterol Rep.* 2016. **18**(5):24.

<sup>26</sup> Yang Q, Zhang Z, Gregg EW, Flanders WD, Merritt R, Hu FB. Added sugar intake and cardiovascular diseases mortality among US adults. *JAMA Intern Med*. 2014. **174**(4):516-24.

<sup>29</sup> Bleich S, Vercammen K. The negative impact of sugar-sweetened beverages on children's health: an update of the literature. *BMC Obes* 2018; 5:6.

<sup>30</sup> National Institutes of Health. *Oral Health in America: Advances and Challenges*. Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Institute of Dental and Craniofacial Research, 2021. At, <u>https://www.nidcr.nih.gov/sites/default/files/2021-12/Oral-Health-in-America-Advances-and-Challenges.pdf</u>

<sup>31</sup> Stanhope KL, et al., Pathways and mechanisms linking dietary components to cardiometabolic disease: thinking beyond calories. *Obes Rev.* 2018. **19**(9): p. 1205-1235.

<sup>32</sup> Softic S, et al., Fructose and hepatic insulin resistance. *Crit Rev Clin Lab Sci*, 2020: p. 1-15.

- <sup>33</sup> Malik VS and Hu FB. Sugar-Sweetened Beverages and Cardiometabolic Health: An Update of the Evidence. *Nutrients*, 2019. **11**(8).
- <sup>34</sup> Taskinen MR, Packard CJ, and Boren J. Dietary Fructose and the Metabolic Syndrome. *Nutrients*, 2019. **11**(9).

<sup>35</sup> Cawley J, Biener A, Meyerhoefer C, Ding Y, Zvenyach T, Smolarz BG, Ramasamy A. Direct medical costs of obesity in the United States and the most populous states. *J Manag Care Spec Pharm*. 2021 Mar;27(3):354-366.

<sup>36</sup> American Diabetes Association. Economic Costs of Diabetes in the U.S. in 2017. *Diabetes Care* 1 May 2018; 41 (5): 917–928.

<sup>37</sup> American Heart Association. 2017. *Cardio-vascular disease: A costly burden for America – Projections through 2035*. At, <u>https://www.heart.org/idc/groups/heart-</u>

public/@wcm/@adv/documents/downloadable/ucm\_491543.pdf

<sup>38</sup> Birger M et al. Spending on Cardiovascular Disease and Cardiovascular Risk Factors in the United States: 1996-2016. *Circulation*. 2021;144:271–282.

<sup>39</sup> American Diabetes Association. Economic Costs of Diabetes in the US in 2012. *Diabetes Care* 2013 Mar; DC\_122625.

<sup>40</sup> Centers for Disease Control. *Diabetes State Burden Toolkit*. At

https://nccd.cdc.gov/Toolkit/DiabetesBurden/MedicalCost/ByPayer

<sup>41</sup> Centers for Disease Control. *Diabetes State Burden Toolkit*. At

https://nccd.cdc.gov/Toolkit/DiabetesBurden/TotalIndirectCost

<sup>42</sup> California Center for Public Health Advocacy. *The Economic Costs of Overweight, Obesity, and Physical Inactivity Among California Adults—2006* (July 2009). At

https://saferoutescalifornia.files.wordpress.com/2012/06/costofobesity\_brief.pdf)

<sup>43</sup> California Department of Public Health. *Status of oral health in California: Oral disease burden and prevention in 2017.* At

https://www.cdph.ca.gov/Programs/CCDPHP/DCDIC/CDCB/CDPH%20Document%20Library/Oral%20Health%20Program/Status%20of%20Oral%20Health%20in%20California FINAL 04.20.2017 ADA.pdf)

<sup>44</sup> Eckelman, M.J., and Sherman, J. 2016. Environmental Impacts of the U.S. Health Care System and Effects on Public Health. PLoS ONE 11(6):e0157014.

<sup>45</sup> Council for a Strong America. 2018. *Unhealthy and Unprepared*. Available at

https://strongnation.s3.amazonaws.com/documents/484/389765e0-2500-49a2-9a67-

5c4a090a215b.pdf?1539616379&inline;%20filename=%22Unhealthy%20and%20Unprepared%20report. pdf%22

<sup>&</sup>lt;sup>27</sup> Vos MB, Kaar JL, Welsh JA et al. Added sugars and cardiovascular disease risk in children: A scientific statement from the American Heart Association. *Circulation*. 2017. **135**: e1017-e1034.

<sup>&</sup>lt;sup>28</sup> Chi DL, Scott JM. Added Sugar and Dental Caries in Children: A Scientific Update and Future Steps. *Dent Clin N Am.* 2019. **63**:17-33.

<sup>46</sup> Centers for Disease Control and Prevention and Mission: Readiness. (2017). Unfit to Serve: obesity is impacting national security. At https://www.cdc.gov/physicalactivity/downloads/unfit-to-serve.pdf
 <sup>47</sup> Hales CM, Carroll MD, Fryar CD & Ogden CL. (2017, October). Prevalence of obesity among adults and youth, United States, 2015-2016 (Data Brief No. 288). Retrieved from National Center for Health Statistics website: https://www.cdc.gov/nchs/data/databriefs/db288.pdf

<sup>48</sup> Taveras EM, Gillman MW, Kleinman KP, Rich-Edwards JW, Rifas-Shiman SL. Reducing Racial/Ethnic Disparities in Childhood Obesity: The Role of Early Life Risk Factors. *JAMA Pediatr*. 2013. **167**(8):731–738.
 <sup>49</sup> Centers for Disease Control and Prevention. (2018). Diabetes report card 2017. Retrieved from https://www.cdc.gov/diabetes/pdfs/library/diabetesreportcard2017-508.pdf.

<sup>50</sup> Centers for Disease Control and Prevention. *Health, United States, 2015: With Special Feature on Racial and Ethnic Health Disparities.* Hyattsville, MD; 2015.

<sup>51</sup> Muth ND, Dietz WH, Magge SN, et al. AAP American Academy of Pediatrics, AAP Section on Obesity, AAP Committee on Nutrition, AAP American Heart Association. Public Policies to Reduce Sugary Drink Consumption in Children and Adolescents. *Pediatrics.* 2019. **143**(4):e20190282.

<sup>52</sup> NASEM (National Academies of Sciences, Engineering, Medicine). 2017. Communities in Action: Pathways to Health Equity. Washington, DC: The National Academies Press. At,

https://www.nap.edu/catalog/24624/communities-in-action-pathways-to-health-equity <sup>53</sup> California State Fact Sheet. At <u>https://www.childhealthdata.org/docs/nsch-docs/california-pdf.pdf</u> <sup>54</sup> Huang, Y., Kypridemos, C., Liu, J., Lee, Y., Pearson-Stuttard, J., Collins, B., Bandosz, P., Capewell, S.,

Whitsel, L., Wilde, P., Mozaffarian, D., O'Flaherty, M., and Micha, R. 2019. Cost-effectiveness of the US Food and Drug Administration added sugar labeling policy for improving diet and health. Circulation 139(23):2613-2624.

<sup>55</sup> Murray RD. Savoring Sweet: Sugars in Infant and Toddler Feeding. *Ann Nutr Metab* 2017. **70** Suppl 3:38-46.

<sup>56</sup> Mennella, JA. Ontogeny of taste preferences: basic biology and implications for health. *Am J Clin Nutr* 2014. **99**, 704S–711S.10.3945/ajcn.113.067694.

<sup>57</sup> Giddings SS, Mennella JA. 2016. *Has the world become too sweet?* American Heart Association Commentary. Available at <u>https://professional.heart.org/en/science-news/Added-Sugars-and-</u> <u>Cardiovascular-Disease-Risk-in-Children/commentary</u>