Soil Disinfestation With Steam for Disease and Weed Control

Steve Fennimore
Univ. of California & Smart Steam





Acknowledgments

- Yu-Chen Wang & Alex Putman
- California Leafy Greens Research Program
- Cooperating Growers
- Propane Education and Research Council


Targeted crops for steam

- Vegetables carrot, lettuce, spinach
- Strawberry
- Field grown flowers




Steam application methods


Fallow 80-inch bed - lettuce & spinach



Fallow 40-inch beds - carrot, lettuce




Infrared image of soil



Soledad & Greenfield Trials


- 80-inch beds entire bed top was steamed.
- Soledad trial steam applied June 18, 2025
- Greenfield trial steam applied June 25, 2025
- Treatments were steam 158°F, 194°F and control (no steam). Replicated 4 times

Weed control % with steam Greenfield, CA




June-July 2025

Hand weed time hours/A with steam Greenfield, CA




June-July 2025


Marketable lettuce %




Marketable lettuce %



Marketable lettuce %



Lettuce harvest in Fusarium plots Value \$/A



Impact of steam on soil microbial communities

- The impact of steam on soil microbial communities has been a concern in the past.
- MS student Erika Escalona has conducted research on the impacts of band steam on soil microbial communities.
- The data suggest that properly applied steam causes a shift in microbial communities which quickly recovers.

Conclusions

- Steam suppresses Fusarium & Weeds
- Steam suppresses lettuce drop & Verticillium

Moving forward

- We are working with a startup to form an engineering company
- ❖ We are working to improve the design, and lower the machine & operation costs
- The machines would be available to purchase or lease
- Current efforts are directed at strawberry



New strawberry steam applicator