

Table 1. Cultivar and Selection Evaluations at Davis (Spring 2005)

	Seedling or Grafted	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
Cultivars												
Payne	G	3/12	0	3/16	3/25	4/9	7	3/29	4/6	4/12	100	7
Serr	G	3/12	0	3/14	3/20	4/7	8	3/31	4/6	4/10	100	7
Vina	G	3/20	8	3/25	4/3	4/12	7	4/8	4/13	4/18	100	7
Howard	G	4/1	20	4/2	4/10	4/15	5	4/17	4/21	4/28	100	8
Tulare	G	3/24	12	4/1	4/9	4/15	5	4/11	4/16	4/21	100	7
Chandler	G	4/1	20	4/1	4/9	4/16	4	4/15	4/20	4/26	100	7
Hartley	G	4/5	24	4/10	4/18	4/27	4	4/19	4/23	4/28	0	6
R. Livermore	G	3/30	18	4/2	4/8	4/14	4	4/12	4/17	4/21	100	5
Sexton	G	3/17	5	3/19	3/25	4/8	7	3/31	4/4	4/9	100	7
Gillet	S	3/18	6	4/9	4/15	4/24	7	3/26	4/2	4/9	100	7
Forde	S	3/20	8	4/10	4/16	4/20	3	3/29	4/6	4/17	100	6
Selections												
59-124	G	3/10	-2	3/15	3/23	4/6	8	3/28	4/3	4/7	100	7
64-057	G	3/20	8	4/9	4/13	4/20	5	3/28	4/6	4/10	100	5
90-023-11	G	3/23	11	3/30	4/8	4/17	6	4/9	4/12	4/18	100	7
90-023-37	G	3/25	13	3/30	4/6	4/20	7	4/8	4/12	4/18	100	7
90-027-21	G	3/13	1	3/16	3/26	4/10	7	3/31	4/5	4/12	100	7
90-027-23	G	3/28	16	3/31	4/9	4/19	6	4/9	4/13	4/21	100	7
90-031-12	G	3/14	2	3/18	3/26	4/2	7	3/28	4/3	4/8	100	7
91-076-24	G	3/20	8					4/3	4/6	4/14	100	7
91-077-6	G	3/24	12	3/27	4/5	4/10	7	4/8	4/12	4/16	100	8
91-077-33	G	3/15	3	4/3	4/9	4/15	6	3/18	3/24	3/30	100	8

^aDays after Payne leafing date at Davis^b1=low, 9=high

Table 1. Cultivar and Selection Evaluations at Davis (Spring 2005) – (cont.)

	Seedling or Grafted	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
91-077-40	G	3/23	11	4/10	4/14	4/18	3	3/27	4/2	4/8	100	7
91-088-7	G	3/26	14	4/11	4/17	4/23	6	4/2	4/7	4/12	100	7
91-090-41	G	3/26	14	4/1	4/8	4/15	5	4/12	4/17	4/21	100	8
91-094-18	G	3/31	19	4/1	4/8	4/12	4	4/15	4/20	4/27	100	8
91-096-3	G	4/1	20	4/3	4/10	4/19	5	4/14	4/19	4/23	100	7
92-070-12	G	3/29	17	3/28	4/6	4/13	4	4/13	4/18	4/22	100	6
92-080-11	G	3/19	7	4/2	4/8	4/13	4	3/22	3/28	4/4	100	7
92-080-18	S	3/9	-3	3/28	4/5	4/9	5	3/15	3/20	3/31	100	7
92-080-18	G	3/14	2	3/31	4/3	4/7	2	3/21	3/26	3/30	100	7
93-026-6	S	3/21	9	4/3	4/8	4/15	5	3/25	3/31	4/6	100	5
93-026-6	G	3/27	15					4/3	4/9	4/14	100	7
93-028-16	S	3/26	14	3/26	4/3	4/9	5	4/13	4/19	4/26	100	4
93-028-20	S	3/26	14	3/26	4/2	4/7	5	4/12	4/19	4/27	100	5
93-028-20	G	3/22	10	3/25	3/30	4/7	3	4/9	4/13	4/16	100	6
94-018-85	G	3/18	6	3/25	4/1	4/8	4	4/5	4/9	4/12	100	7
94-019-29	S	3/18	6	3/22	3/29	4/14	7	4/5	4/11	4/21	100	7
94-019-29	G	3/17	5	3/21	3/28	4/7	3	4/5	4/8	4/12	100	7
94-019-45	S	3/25	13	3/29	4/6	4/21	7	4/10	4/14	4/21	100	7
94-019-45	G	3/25	13					4/17	4/21	4/26	100	7
94-019-85	S	3/15	3	3/18	3/24	4/10	8	4/2	4/6	4/13	100	5
94-020-5	S	3/14	2	3/19	3/25	4/9	8	4/3	4/8	4/13	100	6
94-020-5	G	3/13	1	3/20	3/26	4/1	5	3/29	4/6	4/11	100	7
94-020-19	S	3/19	7	3/25	4/3	4/13	5	4/12	4/16	4/20		6

^aDays after Payne leafing date at Davis^b1=low, 9=high

Table 1. Cultivar and Selection Evaluations at Davis (Spring 2005) – (cont.)

	Seedling or Grafted	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
94-020-28	S	3/17	5	3/19	3/29	4/13	7	4/4	4/9	4/15	100	7
94-020-35	S	3/13	1	3/17	3/25	4/6	7	3/29	4/5	4/12	100	6
94-020-35	G	3/15	3	3/17	3/22	3/30	4	3/28	4/5	4/14	100	7
94-020-72	S	3/18	6	3/19	3/26	4/9	7	4/5	4/11	4/16	100	7
94-020-72	G	3/18	6	3/24	3/30	4/6	3	4/5	4/11	4/15	100	7
95-002-1	S	3/11	-1	3/16	3/23	4/1	7	3/28	4/6	4/13	80	4
95-002-1	G	3/11	-1	3/22	3/26	3/31	4	3/27	4/3	4/9	100	7
95-002-13	S	3/10	-2	3/15	3/21	4/2	7	3/28	4/4	4/9	80	5
95-002-13	G	3/12	0	3/22	3/28	4/3	3	4/1	4/5	4/8	100	5
95-003-28	S	3/13	1	4/1	4/6	4/14	6	3/17	3/23	3/31	100	5
95-003-28	G	3/13	1	4/1	4/7	4/13	4	3/16	3/20	3/26	100	7
95-007-13	S	3/16	4	3/17	3/25	4/2	7	4/4	4/9	4/13	100	6
95-007-13	G	3/15	3	3/23	3/29	4/2	3	4/6	4/11	4/15	100	7
95-011-14	S	3/13	1	4/1	4/8	4/16	7	3/15	3/23	4/5	100	7
95-011-14	G	3/14	2	4/6	4/9	4/12	2	3/20	3/25	4/1	100	7
95-011-15	S	3/15	3	3/19	3/25	4/10	7	3/29	4/5	4/13	100	7
95-011-15	G	3/18	6	3/24	3/30	4/3	4	4/6	4/11	4/15	100	7
95-011-16	S	3/15	3	3/19	3/26	4/8	7	4/6	4/11	4/17	90	7
95-011-22	S	3/13	1	3/18	3/24	4/9	7	3/28	4/3	4/8	100	6
95-011-22	G	3/15	3	3/19	3/26	3/31	4	4/1	4/4	4/8	100	7
95-013-6	S	3/18	6	3/26	4/2	4/7	6	4/7	4/11	4/17	100	7
95-013-12	S	3/26	14	3/28	4/4	4/14	6	4/12	4/19	4/25		5
95-018-23	S	3/31	19	4/2	4/11	4/17	5	4/14	4/19	4/25	100	7

^aDays after Payne leafing date at Davis^b1=low, 9=high

Table 1. Cultivar and Selection Evaluations at Davis (Spring 2005) – (cont.)

	Seedling or Grafted	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
95-026-12	G	4/1	20					4/17	4/20	4/25	100	6
95-026-15	S	3/21	9	4/10	4/17	4/24	5	3/25	4/6	4/12	100	7
95-026-15	G	3/19	7	4/8	4/10	4/12	3	3/23	3/28	4/3	100	7
95-026-16	S	3/19	7	4/10	4/14	4/18	4	3/23	3/30	4/8	100	6
95-026-17	S	4/3	22	4/15	4/19	4/22	3	4/5	4/12	4/22	100	6
95-026-21	S	3/20	8	4/10	4/14	4/18	4	3/27	4/5	4/13	100	6
95-026-21	G	3/21	9					4/1	4/6	4/11	100	7
95-026-22	S	3/26	14	3/30	4/7	4/12	4	4/11	4/17	4/24	100	6
95-026-22	G	3/26	14					4/13	4/18	4/22	100	7
95-026-24	S	3/25	13	4/11	4/18	4/24	3	3/29	4/5	4/13	100	5
95-026-29	S	3/26	14	4/12	4/20	4/27	3	3/30	4/7	4/14	100	6
96-013-13	S	3/16	4	4/2	4/10	4/18	4	3/20	3/27	4/2	100	8

^aDays after Payne leafing date at Davis^b1=low, 9=high