

Table 5. Selection Block Evaluations (Spring 2005)

	Location ^a	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
Payne	Davis	3/12	0	3/16	3/25	4/9	7	3/29	4/6	4/12	100	7
Payne	Chico	3/7	-5	3/11	3/22	3/31	7	3/25	4/1	4/5	90	7
Payne	Kearney	3/15	3	3/15	3/21	3/29	5	3/15	3/29	4/5		8
Hartley	Davis	4/5	24	4/10	4/18	4/27	4	4/19	4/23	4/28	0	6
Hartley	Chico	4/2	21	4/4	4/12	4/22	5	4/15	4/22	4/25	0	5
Hartley	Kearney	4/2	21	4/2	4/11	4/16	3	4/4	4/16	4/22		6
Vina	Davis	3/20	8	3/25	4/3	4/12	7	4/8	4/13	4/18	100	7
Vina	Chico	3/18	6	3/20	3/28	4/4	5	4/5	4/12	4/22	80	7
Vina	Kearney	3/21	9	3/22	3/28	4/2	3	3/25	4/4	4/16		7
Chandler	Davis	4/1	20	4/1	4/9	4/16	4	4/15	4/20	4/26	100	7
Chandler	Chico	4/2	21	3/31	4/5	4/15	5	4/15	4/19	4/25	90	7
Chandler	Kearney	4/4	23	3/29	4/7	4/16	3	4/7	4/14	4/18		7
Chandler	Conant	3/26	14	3/28	4/5	4/13	4	4/13	4/19	4/24	100	7
Chandler	S505	4/1	20	4/9	4/13	4/17	2	4/19	4/23	4/28	100	3
Chandler	Scheuring	4/1	20	3/31	4/10	4/22	4	4/15	4/20	4/25	100	5
Tulare	Davis	3/24	12	4/1	4/9	4/15	5	4/11	4/16	4/21	100	7
Tulare	Chico	3/25	13	3/25	4/1	4/15	7	4/8	4/12	4/16	100	8
Tulare	Conant	3/24	12	3/31	4/6	4/13	5	4/5	4/12	4/20	100	7
Tulare	McNamara	3/24	12	3/27	4/5	4/16	5	4/5	4/13	4/17	100	7
R. Livermore	Davis	3/30	18	4/2	4/8	4/14	4	4/12	4/17	4/21	100	5
R. Livermore	Chico	3/25	13	3/31	4/5	4/15	5	4/12	4/19	4/22	80	5
R. Livermore	Kearney	3/29	17	3/27	4/4	4/14	3	4/2	4/11	4/18		6
Sexton	Davis	3/17	5	3/19	3/25	4/8	7	3/31	4/4	4/9	100	7
Sexton	Chico	3/18	6	3/22	3/28	4/29	2	3/28	4/5	4/14	100	4
Sexton	Kearney	3/18	6	3/17	3/22	3/29	3	3/22	3/26	4/2		7
Sexton	Conant	3/17	5	3/25	4/1	4/10	5	4/3	4/8	4/13	100	6
Sexton	S505	3/19	7	3/31	4/4	4/11	4	4/6	4/12	4/18	100	6
Gillet	Davis ^a	3/18	6	4/9	4/15	4/24	7	3/26	4/2	4/9	100	7

^aDavis sd = original seedling tree, others are grafted trees
 Davis, Chico, Kearney are selection blocks
 Conant , McNamara, Scheuring, S505= grower trials

^bDays after Payne leafing date at Davis
^c1=low, 9=high

Table 5. Selection Block Evaluations (Spring 2005) – (cont.)

	Location	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
Gillet	Chico	3/18	6	4/8	4/12	4/18	3	3/28	4/5	4/19	100	
Gillet	Conant	3/15	3	4/6	4/10	4/15	2	3/17	3/25	4/4	100	7
Forde	Davis ^a	3/20	8	4/10	4/16	4/20	3	3/29	4/6	4/17	100	6
Forde	Chico	3/18	6	4/8	4/14	4/19	3	3/28	4/2	4/14	100	6
Forde	S505	3/27	15	4/10	4/14	4/18	1	4/3	4/8	4/12	100	7
90-023-11	Davis	3/23	11	3/30	4/8	4/17	6	4/9	4/12	4/18	100	7
90-023-11	Chico	3/22	10	3/22	3/31	4/15	7	4/5	4/12	4/16	100	7
90-023-11	Kearney	3/24	12	3/23	3/29	4/8	6	3/25	4/2	4/7		7
90-023-11	Conant	3/19	7	3/22	3/29	4/13	7	4/4	4/9	4/15	100	7
90-023-37	Davis	3/25	13	3/30	4/6	4/20	7	4/8	4/12	4/18	100	7
90-023-37	Chico	3/25	13	4/2	4/12	4/22	5	4/12	4/19	4/25	100	7
90-023-37	Kearney	3/24	12	3/23	3/29	4/19	5	3/25	4/3	4/7		7
90-023-37	Conant	3/21	9	3/25	4/4	4/16	7	4/4	4/9	4/14	100	7
90-026-17	Davis	3/20	8	3/26	4/5	4/19	7	4/7	4/11	4/17	100	6
90-026-17	Kearney	3/22	10	3/22	3/26	4/6	5	3/25	4/2	4/16		6
90-027-21	Davis	3/13	1	3/16	3/26	4/10	7	3/31	4/5	4/12	100	7
90-027-21	Chico	3/7	-5	3/11	3/18	4/4	5	3/25	3/31	4/12	100	7
90-027-21	Kearney	3/15	3	3/15	3/21	3/26	5	3/15	3/29	4/2		7
90-027-21	Conant	3/14	2	3/16	3/23	4/1	7	3/25	3/29	4/3	100	7
90-027-21	S505	3/16	4	3/20	3/28	4/3	3	4/3	4/8	4/12	100	7
90-027-23	Davis	3/28	16	3/31	4/9	4/19	6	4/9	4/13	4/21	100	7
90-027-23	Chico	3/28	16	3/31	4/12	4/25	7	4/12	4/19	4/25	70	7
90-027-23	Kearney	3/29	17	3/29	4/11	4/18	5	4/4	4/13	4/18		7
90-027-23	Conant	3/23	11	3/28	4/7	4/14	7	4/9	4/14	4/19	100	6
90-031-12	Davis	3/14	2	3/18	3/26	4/2	7	3/28	4/3	4/8	100	7
90-031-12	Chico	3/11	-1	3/15	3/18	4/5	7	3/24	3/28	4/9	100	6
91-076-24	Davis	3/20	8					4/3	4/6	4/14	100	7
91-076-24	Chico	3/22	10	4/2	4/8	4/12	3	3/28	4/5	4/14	100	7

^aDavis sd = original seedling tree, others are grafted trees
 Davis, Chico, Kearney are selection blocks
 Conant , McNamara, Scheuring, S505= grower trials

^bDays after Payne leafing date at Davis
^c1=low, 9=high

Table 5. Selection Block Evaluations (Spring 2005) – (cont.)

	Location	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
91-076-24	Conant	3/16	4					3/22	3/29	4/10	100	7
91-076-24	S505	3/21	9	4/14	4/17	4/20	1	4/2	4/10	4/15	90	5
91-077-6	Davis	3/24	12	3/27	4/5	4/10	7	4/8	4/12	4/16	100	8
91-077-6	Chico	3/11	-1	3/15	3/22	4/2	5	3/31	4/10	4/20	100	7
91-077-6	Kearney	3/26	14	3/28	4/1	4/5	1	4/1	4/5	4/7		7
91-077-6	Conant	3/20	8	3/22	3/28	4/7	7	4/8	4/13	4/18	100	8
91-077-6	S505	3/27	15	3/30	4/4	4/14	7	4/11	4/16	4/20	100	8
91-077-33	Davis	3/15	3	4/3	4/9	4/15	6	3/18	3/24	3/30	100	8
91-077-40	Davis	3/23	11	4/10	4/14	4/18	3	3/27	4/2	4/8	100	7
91-077-40	Chico	3/18	6	3/31	4/12	4/29	7	3/18	3/25	4/2	100	7
91-088-7	Davis	3/26	14	4/11	4/17	4/23	6	4/2	4/7	4/12	100	7
91-088-7	Chico	3/22	10	4/8	4/14	4/29	3	3/28	4/5	4/18	90	5
91-088-7	Kearney	3/29	17	4/3	4/6	4/16	5	4/1	4/6	4/11		6
91-090-41	Davis	3/26	14	4/1	4/8	4/15	5	4/12	4/17	4/21	100	8
91-090-41	Chico	3/28	16	3/28	4/5	4/15	3	4/8	4/19	4/25	90	7
91-090-41	Kearney	3/29	17	3/28	4/2	4/6	3	3/29	4/7	4/18		7
91-090-41	Conant	3/22	10	3/25	3/28	4/12	6	4/5	4/13	4/19	100	7
91-094-18	Davis	3/31	19	4/1	4/8	4/12	4	4/15	4/20	4/27	100	8
91-094-18	Davis	4/1	20	4/7	4/9	4/11	1	4/19	4/23	4/27	100	6
91-094-18	Chico	3/31	19	3/31	4/10	4/18	3	4/8	4/18	4/25	80	8
91-094-18	Kearney	3/29	17	3/29	4/4	4/11	3	4/7	4/12	4/18		8
91-094-18	Conant	3/27	15	3/29	4/6	4/13	6	4/13	4/19	4/23	100	7
91-096-3	Davis	4/1	20	4/3	4/10	4/19	5	4/14	4/19	4/23	100	7
91-096-3	Chico	3/31	19	3/31	4/5	4/25	6	4/12	4/18	4/21	70	7
91-096-3	Kearney	4/1	20	3/27	4/5	4/16	3	4/3	4/11	4/20		6
91-096-3	Conant	3/26	14	3/28	4/6	4/13	6	4/14	4/18	4/23	100	7
91-096-3	S505	4/1	20	4/5	4/11	4/17	2	4/19	4/22	4/26	100	5
92-068-2	Chico	3/15	3	4/8	4/12	4/19	1	3/28	4/4	4/9	80	

^aDavis sd = original seedling tree, others are grafted trees
 Davis, Chico, Kearney are selection blocks
 Conant , McNamara, Scheuring, S505= grower trials

^bDays after Payne leafing date at Davis
^c1=low, 9=high

Table 5. Selection Block Evaluations (Spring 2005) – (cont.)

	Location	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
92-070-12	Davis	3/29	17	3/28	4/6	4/13	4	4/13	4/18	4/22	100	6
92-070-12	Chico	3/25	13	3/22	4/5	4/15	5	4/15	4/19	4/25	70	7
92-070-12	Kearney	4/2	21	3/29	4/5	4/16	3	4/6	4/11	4/16		6
92-070-12	Conant	3/23	11	3/25	4/1	4/14	6	4/10	4/15	4/19	100	6
92-080-11	Davis	3/19	7	4/2	4/8	4/13	4	3/22	3/28	4/4	100	7
92-080-11	Chico	3/18	6	4/1	4/5	4/12	1	3/22	3/28	4/2	100	7
92-080-11	Kearney	3/21	9	3/26	4/3	4/8	3	3/23	3/29	4/2		7
92-080-11	Conant	3/15	3	4/2	4/8	4/12	2	3/18	3/26	4/3	100	8
92-080-18	Kearney	3/14	2					3/18	3/22	3/25		5
92-081-17	S505	3/26	14	3/28	4/1	4/6	3	4/11	4/15	4/28	80	5
93-026-6	Davis ^a	3/21	9	4/3	4/8	4/15	5	3/25	3/31	4/6	100	5
93-026-6	Chico	3/18	6				0	3/25	4/2	4/8	70	5
93-026-6	Conant	3/20	8					3/31	4/4	4/8	100	5
93-026-6	S505	3/18	6					3/29	4/2	4/6	100	6
93-028-20	Davis ^a	3/26	14	3/26	4/2	4/7	5	4/12	4/19	4/27	100	5
93-028-20	Chico	3/25	13	3/18	3/25	4/5	7	4/8	4/15	4/21	100	6
93-028-20	Kearney	3/22	10					3/29	4/8	4/16		5
93-028-20	Conant	3/19	7	3/23	3/28	4/3	4	4/10	4/15	4/20	100	6
94-017-79	Chico	3/15	3	3/28	4/5	4/21	5	4/8	4/12	4/19	100	
94-017-79	Kearney	3/25	13	3/25	4/7	4/16	1	4/6	4/11	4/16		5
94-019-29	Davis ^a	3/18	6	3/22	3/29	4/14	7	4/5	4/11	4/21	100	7
94-019-29	Chico	3/15	3	3/15	3/18	4/5	3	4/2	4/12	4/21	100	7
94-019-29	Kearney	3/21	9	3/23	3/28	4/4	2	3/28	4/2	4/8		6
94-019-45	Davis ^a	3/25	13	3/29	4/6	4/21	7	4/10	4/14	4/21	100	7
94-019-45	Kearney	3/28	16					4/2	4/11	4/16		5
94-019-45	Conant	3/21	9	3/26	4/1	4/10	4	4/7	4/13	4/21	100	8
94-019-85	Davis ^a	3/15	3	3/18	3/24	4/10	8	4/2	4/6	4/13	100	5
94-019-85	Chico	3/11	-1	3/15	3/25	4/15	7	3/25	3/31	4/14	100	6

^aDavis sd = original seedling tree, others are grafted trees
 Davis, Chico, Kearney are selection blocks
 Conant , McNamara, Scheuring, S505= grower trials

^bDays after Payne leafing date at Davis
^c1=low, 9=high

Table 5. Selection Block Evaluations (Spring 2005) – (cont.)

	Location	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
94-019-85	Kearney	3/18	6	3/16	3/21	3/29	3	3/20	3/25	4/4		7
94-020-5	Davis ^a	3/14	2	3/19	3/25	4/9	8	4/3	4/8	4/13	100	6
94-020-5	Davis	3/13	1	3/20	3/26	4/1	5	3/29	4/6	4/11	100	7
94-020-5	Chico	3/15	3	3/18	3/22	3/31	3	4/2	4/14	4/19	100	6
94-020-5	Conant	3/13	1	3/14	3/22	4/1	5	3/26	4/4	4/9	100	8
94-020-19	Davis ^a	3/19	7	3/25	4/3	4/13	5	4/12	4/16	4/20		6
94-020-19	Chico	3/18	6	3/18	3/22	4/2	3	4/5	4/14	4/21	100	6
94-020-35	Davis ^a	3/13	1	3/17	3/25	4/6	7	3/29	4/5	4/12	100	6
94-020-35	Chico	3/15	3	3/22	4/2	4/5	3	3/31	4/12	4/19	100	6
94-020-35	Conant	3/14	2	3/16	3/25	4/5	5	3/30	4/3	4/9	100	7
94-020-72	Davis ^a	3/18	6	3/19	3/26	4/9	7	4/5	4/11	4/16	100	7
94-020-72	Chico	3/11	-1	3/15	3/18	3/29	5	4/5	4/14	4/19	100	6
95-002-1	Davis ^a	3/11	-1	3/16	3/23	4/1	7	3/28	4/6	4/13	80	4
95-002-1	Chico	3/11	-1	3/11	3/15	3/31	3	3/22	3/28	4/5	80	6
95-002-13	Davis ^a	3/10	-2	3/15	3/21	4/2	7	3/28	4/4	4/9	80	5
95-002-13	Chico	3/7	-5	3/11	3/15	3/28	5	3/22	3/28	4/5	90	7
95-003-28	Davis ^a	3/13	1	4/1	4/6	4/14	6	3/17	3/23	3/31	100	5
95-003-28	Davis	3/13	1	4/1	4/7	4/13	4	3/16	3/20	3/26	100	7
95-007-13	Davis ^a	3/16	4	3/17	3/25	4/2	7	4/4	4/9	4/13	100	6
95-007-13	Chico	3/15	3	3/15	3/20	3/28	5	3/31	4/12	4/19	100	6
95-007-13	Conant	3/17	5					4/4	4/12	4/19	100	7
95-007-13	S505	3/16	4					4/7	4/12	4/23	90	4
95-011-14	Davis ^a	3/13	1	4/1	4/8	4/16	7	3/15	3/23	4/5	100	7
95-011-14	Davis	3/14	2	4/6	4/9	4/12	2	3/20	3/25	4/1	100	7
95-011-14	Chico	3/15	3	3/30	4/12	4/19	3	3/18	3/25	4/2	100	7
95-011-14	Conant	3/13	1	3/31	4/6	4/14	5	3/14	3/18	3/26	100	7
95-011-14	S505	3/15	3	4/6	4/12	4/16	3	3/19	3/27	4/2	100	7
95-011-15	Davis ^a	3/15	3	3/19	3/25	4/10	7	3/29	4/5	4/13	100	7

^aDavis sd = original seedling tree, others are grafted trees
 Davis, Chico, Kearney are selection blocks
 Conant , McNamara, Scheuring, S505= grower trials

^bDays after Payne leafing date at Davis
^c1=low, 9=high

Table 5. Selection Block Evaluations (Spring 2005) – (cont.)

	Location	Leafing		Pollen Shedding				Pistillate Bloom			% Lateral	Yield ^b
		Date	DAP ^a	1st	Peak	Last	Abund. ^b	1st	Peak	Last		
95-011-15	Chico	3/18	6	3/11	3/18	4/5	7	3/25	4/5	4/13	100	8
95-011-16	Davis ^a	3/15	3	3/19	3/26	4/8	7	4/6	4/11	4/17	90	7
95-011-16	S505	3/21	9					4/6	4/11	4/18	80	5
95-011-22	Davis ^a	3/13	1	3/18	3/24	4/9	7	3/28	4/3	4/8	100	6
95-011-22	Davis	3/15	3	3/19	3/26	3/31	4	4/1	4/4	4/8	100	7
95-011-22	Conant	3/12	0	3/15	3/22	3/31	5	3/24	4/1	4/8	100	8
95-018-23	Davis ^a	3/31	19	4/2	4/11	4/17	5	4/14	4/19	4/25	100	7
95-018-23	S505	4/2	21	4/2	4/10	4/18	2	4/18	4/22	4/26	100	4
95-026-15	Davis ^a	3/21	9	4/10	4/17	4/24	5	3/25	4/6	4/12	100	7
95-026-15	Davis	3/19	7	4/8	4/10	4/12	3	3/23	3/28	4/3	100	7
95-026-15	Chico	3/18	6	4/8	4/12	4/19	3	3/22	4/5	4/10	100	7
95-026-21	Davis ^a	3/20	8	4/10	4/14	4/18	4	3/27	4/5	4/13	100	6
95-026-21	Chico	3/18	6	4/8	4/12	4/19	4	3/25	3/31	4/8	100	7
95-026-21	Conant	3/16	4	4/4	4/11	4/17	3	3/17	3/25	3/30	100	8
95-026-22	Davis ^a	3/26	14	3/30	4/7	4/12	4	4/11	4/17	4/24	100	6
95-026-22	Chico	3/20	8	3/25	3/31	4/15	3	4/5	4/14	4/19	80	5
95-026-22	Conant	3/17	5	3/20	3/28	4/2	2	4/6	4/13	4/19	100	6

^aDavis sd = original seedling tree, others are grafted trees
 Davis, Chico, Kearney are selection blocks
 Conant , McNamara, Scheuring, S505= grower trials

^bDays after Payne leafing date at Davis
^c1=low, 9=high