

Table 6. Selection Block and Grower Trial Harvest Evaluations (Fall 2005)

	^a Location	Harvest			Shell			Average Wt.			^e Kernel Fill	^f Ease of Removal	Color %			
		Date	DAP	Seas Lgth	^c Seal	^d Strgth	Thick mm	Nut (g)	Kernel (g)	% Kernel			Extra Light	Light	Light Amber	Amber
Payne	Davis	9/18	5	165	5	5	1.5	13.0	6.2	47.9	5	4	0	100	0	0
Payne	Chico	9/9	-4	161	5	5	1.2	10.3	5.4	52.2	5	4	0	90	0	10
Payne	Kearney	9/11	-2	166	0	5	1.2	11.0	5.7	51.3	5	4	0	90	10	0
Hartley	Davis	10/11	28	171	5	5	1.5	16.4	7.7	47.1	4	4	0	70	30	0
Hartley	Chico	9/30	17	161	5	6	1.5	13.4	6.0	44.8	4	5	10	80	10	0
Hartley	Kearney	9/28	15	165	5	6	1.5	13.3	5.2	39.2	4	4	10	80	10	0
Vina	Davis	9/25	12	165	5	5	1.3	13.8	6.3	45.7	4	5	0	40	50	10
Vina	Chico	9/15	2	156	5	5	1.3	11.2	5.3	47.6	5	4	0	100	0	0
Vina	Kearney	9/16	3	165	5	5	1.3	11.3	5.4	48.1	5	4	0	67	33	0
Serr	Davis	9/19	6	166	5	5	1.2	14.5	7.7	52.9	5	4	0	90	10	0
Serr	Kearney	9/21	8	176	5	5	1.1	14.2	7.8	54.9	6	5	0	90	10	0
Chandler	Davis	10/8	25	171	5	5	1.4	14.1	6.5	45.7	4	4	100	0	0	0
Chandler	Chico	10/4	21	168	5	4	1.1	11.4	6.0	52.7	5	4	89	0	11	0
Chandler	Kearney	9/30	17	169	5	4	1.3	10.7	4.9	45.5	5	4	30	70	0	0
Chandler	Conant	10/5	22	169	5	4	1.2	11.5	5.9	50.9	4	4	90	10	0	0
Chandler	S505	10/12	29	172	5	5	1.3	14.9	7.4	49.3	5	4	50	50	0	0
Howard	Davis	9/30	17	162	5	5	1.5	16.5	8.1	48.9	5	5	10	90	0	0
Howard	Kearney	9/22	9		5	6	1.5	15.4	7.0	45.1	5	5	0	44	56	0
Howard	Conant	9/26	13	160	5	5	1.3	12.9	6.9	53.6	5	4	33	67	0	0
Howard	S505	10/3	20	164	5	5	1.3	15.9	7.7	48.3	5	5	0	50	50	0
Howard	McNamara	9/30	17	163	5	5	1.3	13.2	6.8	51.3	5	4	20	80	0	0
Tulare	Davis	9/27	14	164	5	5	1.2	16.1	8.5	52.7	5	5	0	100	0	0
Tulare	Chico	9/20	7	161	4	4	1.2	12.5	6.7	53.8	5	4	0	78	22	0
Tulare	Kearney	9/24	11		5	4	1.2	15.9	8.4	52.7	4	5	0	50	50	0
Tulare	Conant	9/27	14	168	5	4	1.2	13.0	7.3	56.1	5	4	0	100	0	0
Tulare	McNamara	9/24	11	164	5	5	1.3	14.1	7.1	50.1	5	5	0	90	10	0
R. Livermore	Davis	9/25	12	161	5	6	1.4	13.3	6.4	48.0	6	5			red	
R. Livermore	Chico	9/20	7	154	5	6	1.3	11.6	5.3	45.3	6	5			red	
R. Livermore	Kearney	9/22	9	164	5	5	1.3	11.9	5.4	45.8	6	5			red	

^aDavis sd = original seedling tree, others are grafted trees
 Conant, Crane, McNamara, Scheuring, S505= grower trials;
 Davis, Chico, Kearney are selection blocks
^b="DAP" denotes "Days after Payne harvest at Davis"

^c=Shell seal: 3 - poor, 5 - good, 7 - very strong
^d=Shell strength: 3 - poor, 5 - good, 7 - very strong
^e=Kernel fill: 3 - poor, 7- well
^f=Ease of Removal: 3 - easy, 7 - difficult

Table 6. Selection Block and Grower Trial Harvest Evaluations (Fall 2005) – (cont.)

	^a Location	Harvest			Shell			Average Wt.		% Kernel	^e Kernel Fill	^f Ease of Removal	Color %			
		Date	DAP	Seas Lgth	^c Seal	^d Strgth	Thick mm	Nut (g)	Kernel (g)				Extra Light	Light	Light Amber	Amber
Sexton	Davis	10/7	24	186	5	5	1.3	17.1	8.6	50.4	6	5	0	38	63	0
Sexton	Chico	10/8	25	186	5	4	1.2	15.2	7.9	51.8	4	4	0	0	80	20
Sexton	Kearney	9/26	13	184	5	5	1.3	17.1	8.9	51.9	6	4	0	30	70	0
Sexton	Conant	10/2	19	177	5	5	1.3	14.2	8.2	57.7	5	4	44	56	0	0
Sexton	S505	10/4	21	175	5	5	1.4	15.5	8.1	51.9	6	5	30	60	10	0
Gillet	Davis ^a	9/21	8	172	5	5	1.4	15.4	7.3	47.2	7	5	70	30	0	0
Gillet	Chico	10/7	24	185	4	4	1.1	14.6	7.2	49.2	3	4	50	40	10	0
Gillet	Kearney	9/22	9		4	5	1.2	16.3	7.7	47.0	3	4	0	75	25	0
Gillet	Conant	9/24	11	183	3	5	1.2	13.3	7.3	55.3	5	3	50	50	0	0
Forde	Davis ^a	9/28	15	175	5	6	1.6	14.2	7.0	49.6	5	4	100	0	0	0
Forde	Davis	10/15	32	188	5	6	1.4	16.5	9.1	55.0	6	5	0	100	0	0
Forde	Chico	10/11	28	192	5	5	1.3	15.9	8.4	52.8	5	5	10	60	30	0
Forde	Kearney	9/28	15	184	5	6	1.5	17.1	8.5	49.7	5	5	10	30	60	0
Forde	S505	10/7	24	182	5	6	1.5	16.7	8.7	52.0	5	5	30	60	10	0
59-124	Davis	9/18	5	168	5	6	1.6	16.4	8.4	51.1	6	4	0	100	0	0
76-080	Davis	9/29	16		4	5	1.3	14.8	7.6	51.3	7	5	100	0	0	0
90-023-11	Davis	9/24	11	165	5	5	1.3	15.1	7.5	49.3	5	4	10	70	20	0
90-023-11	Chico	9/22	9	163	4	4	1.2	11.1	5.5	49.7	4	4	0	70	30	0
90-023-11	Kearney	9/19	6	170	5	6	1.4	15.3	7.2	46.9	3	4	0	50	50	0
90-023-11	Conant	9/19	6	163	4	4	1.2	11.9	6.1	51.4	4	4	10	90	0	0
90-023-37	Davis	9/23	10	164	4	5	1.2	13.8	7.9	57.3	5	5	20	80	0	0
90-023-37	Chico	9/20	7	154	4	4	1.1	10.4	5.6	53.5	4	4	0	70	30	0
90-023-37	Kearney	9/16	3	166	5	5	1.2	11.7	6.2	53.3	5	4	0	100	0	0
90-023-37	Conant	9/20	7	164	4	4	1.1	12.8	6.9	54.1	5	4	0	89	11	0
90-027-21	Davis	9/18	5	166	6	6	1.6	15.0	6.8	45.2	4	5	0	50	40	10
90-027-21	Chico	9/15	2	168	5	6	1.4	11.5	5.6	48.1	5	4	0	90	10	0
90-027-21	Kearney	9/14	1	169	5	6	1.4	12.6	6.4	50.9	5	4	0	90	10	0
90-027-21	Conant	9/16	3	171	5	6	1.4	13.5	6.5	48.0	4	4	0	90	10	0
90-027-21	S505	9/20	7	165	5	6	1.5	16.3	7.2	44.3	5	5	0	80	20	0

^aDavis sd = original seedling tree, others are grafted trees
 Conant, Crane, McNamara, Scheuring, S505= grower trials;
 Davis, Chico, Kearney are selection blocks
^b="DAP" denotes "Days after Payne harvest at Davis"

^c=Shell seal: 3 - poor, 5 - good, 7 - very strong
^d=Shell strength: 3 - poor, 5 - good, 7 - very strong
^e=Kernel fill: 3 - poor, 7- well
^f=Ease of Removal: 3 - easy, 7 - difficult

Table 6. Selection Block and Grower Trial Harvest Evaluations (Fall 2005) – (cont.)

	^a Location	Harvest			Shell			Average Wt.		% Kernel	^e Kernel Fill	^f Ease of Removal	Color %			
		Date	DAP	Seas Lgth	^c Seal	^d Strgth	Thick mm	Nut (g)	Kernel (g)				Extra Light	Light	Light Amber	Amber
90-027-23	Davis	9/23	10	163	5	5	1.3	13.5	6.9	50.6	5	5	22	67	0	11
90-027-23	Chico	9/22	9	156	5	5	1.3	13.3	6.5	48.7	5	5	0	100	0	0
90-027-23	Kearney	9/17	4	157	5	5	1.3	12.3	6.4	51.8	6	4	0	67	33	0
90-027-23	Conant	9/20	7	159	5	5	1.3	14.1	6.9	49.0	5	5	11	89	0	0
90-031-12	Davis	10/1	18	181	5	4	1.2	13.3	8.2	61.6	5	4	0	100	0	0
90-031-12	Chico	9/28	15	184	5	4	0.9	12.6	7.4	58.3	5	3	0	11	89	0
90-031-12	Kearney	9/19	6		5	4	1.1	14.4	8.7	60.5	4	4	0	75	25	0
91-076-24	Davis	9/16	3	163	5	4	1.2	15.2	7.8	50.9	4	5	0	33	67	0
91-076-24	Chico	9/18	5	166	5	4	1.2	15.6	8.0	51.6	4	5	0	10	90	0
91-076-24	Kearney	9/11	-2		3	4	1.2	15.8	8.0	50.3	3	5	0	40	50	10
91-076-24	Conant	9/11	-2	166	4	4	1.1	13.1	7.4	56.0	5	4	10	70	20	0
91-076-24	S505	9/14	1	157	5	4	1.1	14.0	7.8	55.7	4	5	20	40	40	0
91-077-6	Davis	9/23	10	164	4	4	1.2	16.7	9.4	56.1	4	4	22	78	0	0
91-077-6	Kearney	9/18	5	166	4	4	1.2	16.7	9.2	54.9	4	4	0	90	10	0
91-077-6	Conant	9/14	1	154	4	3	1	12.9	7.3	56.4	3	4	30	60	10	0
91-077-6	S505	9/23	10	160	4	4	1.1	15.8	8.8	55.5	4	4	0	90	10	0
91-077-33	Davis	10/1	18	191	4	4	1.2	17.0	9.2	54.2	4	4	0	89	11	0
91-077-33	Kearney	9/18	5		4	3	0.9	15.4	9.0	58.5	3	4	0	60	40	0
91-077-40	Davis	10/7	24	188	5	6	1.4	17.8	9.3	52.6	5	5	0	100	0	0
91-077-40	Chico	9/30	17	189	5	5	1.2	16.3	8.8	54.1	6	5	0	30	70	0
91-077-40	Kearney	9/24	11		5	5	1.3	17.2	8.4	48.7	5	4	0	10	30	60
91-088-7	Davis	10/7	24	183	4	5	1.5	19.6	8.5	43.3	5	5	0	33	67	0
91-088-7	Chico	9/26	13	174	5	6	1.5	18.5	8.9	47.8	5	5	20	60	20	0
91-088-7	Kearney	9/23	10	170	4	6	1.5	18.1	8.7	48.0	6	6	0	0	100	0
91-090-41	Davis	9/25	12	161	4	4	1.1	13.1	7.8	59.5	5	4	0	100	0	0
91-090-41	Chico	9/15	2	149	4	3	0.8	11.2	7.2	63.9	4	3	0	50	50	0
91-090-41	Kearney	9/20	7	166	4	4	1.1	12.6	7.4	58.7	5	4	20	80	0	0
91-090-41	Conant	9/21	8	161	4	4	1.1	12.2	7.2	59.1	5	4	30	50	20	0
91-094-18	Davis	9/26	13	159	5	5	1.2	13.1	7.2	54.9	5	5	60	40	0	0

^aDavis sd = original seedling tree, others are grafted trees
 Conant, Crane, McNamara, Scheuring, S505= grower trials;
 Davis, Chico, Kearney are selection blocks
^b="DAP" denotes "Days after Payne harvest at Davis"

^c=Shell seal: 3 - poor, 5 - good, 7 - very strong
^d=Shell strength: 3 - poor, 5 - good, 7 - very strong
^e=Kernel fill: 3 - poor, 7- well
^f=Ease of Removal: 3 - easy, 7 - difficult

Table 6. Selection Block and Grower Trial Harvest Evaluations (Fall 2005) – (cont.)

	^a Location	Harvest			Shell			Average Wt.		% Kernel	^e Kernel Fill	^f Ease of Removal	Color %			
		Date	DAP	Seas Lgth	^c Seal	^d Strgth	Thick mm	Nut (g)	Kernel (g)				Extra Light	Light	Light Amber	Amber
91-094-18	Chico	9/27	14	162	4	3	0.9	9.6	5.4	56.7	5	4	43	43	0	14
91-094-18	Kearney	9/19	6	160	4	4	1.1	11.0	6.0	55.1	5	4	0	100	0	0
91-094-18	Conant	9/23	10	157	4	4	1.2	10.5	5.6	53.2	5	4	60	30	10	0
91-096-3	Davis	9/18	5	152	5	5	1.3	13.4	6.6	49.2	5	5	67	33	0	0
91-096-3	Chico	9/24	11	159	5	5	1.3	11.3	5.6	49.8	5	5	0	100	0	0
91-096-3	Kearney	9/17	4	159	5	6	1.5	10.8	4.7	44.0	5	5	0	90	10	0
91-096-3	Conant	9/20	7	155	5	5	1.3	11.2	5.8	51.4	6	5	30	70	0	0
91-096-3	S505	10/1	18	162	5	6	1.4	12.9	6.0	46.4	5	5	40	40	20	0
92-068-2	Chico	9/29	16	178	4	4	1.2	16.6	9.2	55.5	4	4	0	0	100	0
92-068-2	Kearney	9/10	-3		4	4	1.1	14.4	8.0	55.9	3	5	0	40	60	0
92-070-12	Davis	10/1	18	166	4	4	1.2	13.6	7.0	51.5	4	4	0	100	0	0
92-070-12	Chico	9/20	7	154	3	4	1	10.6	5.8	54.3	4	3	0	90	10	0
92-070-12	Kearney	9/24	11	166	4	4	1.1	13.5	6.9	50.9	5	4	20	80	0	0
92-070-12	Conant	9/27	14	165	3	4	1	11.5	6.5	56.8	4	4	20	70	10	0
92-080-11	Davis	9/24	11	180	5	4	1.2	15.8	8.7	54.9	4	4	0	100	0	0
92-080-11	Chico	9/22	9	178	5	5	1.2	17.6	9.4	53.4	4	4	0	60	40	0
92-080-11	Kearney	9/15	2	170	4	4	1.1	17.2	9.3	54.1	4	5	0	100	0	0
92-080-11	Conant	9/19	6	177	4	4	1.1	12.5	7.6	60.6	5	4	50	50	0	0
92-080-18	Davis ^a	9/8	-5	172	4	5	1.2	15.1	7.3	48.4	3	5	0	50	40	10
92-080-18	Davis	9/17	4	175	5	5	1.2	14.3	7.6	53.0	4	5	0	78	11	11
92-080-18	Chico	9/20	7	179	4	4	1.1	14.7	6.8	46.1	3	4	0	20	70	10
92-080-18	Kearney	9/10	-3	172	3	4	1.1	14.3	6.2	43.3	3	3	0	22	78	0
92-081-17	Kearney	9/20	7		6	5	1.3	16.4	9.1	55.6	5	5	0	60	30	10
92-081-17	S505	10/3	20	171	5	5	1.2	14.7	7.9	53.7	6	5	10	80	10	0
93-026-6	Davis	9/24	11	168	5	5	1.2	15.5	7.8	50.5	5	5	0	60	40	0
93-026-6	Chico	9/20	7	171	5	4	1.4	18.7	8.2	44.1	4	5	0	70	20	10
93-026-6	Kearney	9/21	8		5	5	1.2	16.8	7.8	46.5	4	5	0	90	10	0
93-026-6	Conant	9/24	11	173	5	4	1.4	16.5	8.6	52.1	5	5	20	80	0	0
93-026-6	S505	9/20	7	171	5	5	1.3	17.3	8.2	47.2	5	5	0	90	10	0

^aDavis sd = original seedling tree, others are grafted trees
 Conant, Crane, McNamara, Scheuring, S505= grower trials;
 Davis, Chico, Kearney are selection blocks
^b="DAP" denotes "Days after Payne harvest at Davis"

^c=Shell seal: 3 - poor, 5 - good, 7 - very strong
^d=Shell strength: 3 - poor, 5 - good, 7 - very strong
^e=Kernel fill: 3 - poor, 7- well
^f=Ease of Removal: 3 - easy, 7 - difficult

Table 6. Selection Block and Grower Trial Harvest Evaluations (Fall 2005) – (cont.)

	^a Location	Harvest			Shell			Average Wt.		% Kernel	^e Kernel Fill	^f Ease of Removal	Color %			
		Date	DAP	Seas Lgth	^c Seal	^d Strgth	Thick mm	Nut (g)	Kernel (g)				Extra Light	Light	Light Amber	Amber
93-028-16	Davis ^a	9/27	14	161	5	5	1.3	15.7	8.1	51.5	6	5	50	50	0	0
93-028-16	Chico	10/8	25	173	5	5	1.3	16.8	8.8	52.1	6	5	90	0	10	0
93-028-20	Chico	9/28	15	166	5	5	1.3	14.9	8.0	53.6	5	5	10	70	20	0
93-028-20	Kearney	9/23	10	168	5	6	1.4	15.5	7.8	50.4	5	4	10	80	10	0
93-028-20	Conant	9/23	10	161	4	4	1.4	14.8	8.2	55.2	5	4	20	80	0	0
94-019-29	Chico	9/27	14	168	5	4	1.2	15.6	8.3	53.4	5	4	40	60	0	0
94-019-29	Kearney	9/21	8	172	5	5	1.2	16.6	9.0	54.0	6	4	0	90	10	0
94-019-45	Kearney	9/26	13	168	5	5	1.2	17.1	9.1	52.9	5	5	0	56	44	0
94-019-45	Conant	9/23	10	163	5	5	1.2	13.9	8.0	57.7	6	4	0	100	0	0
94-019-85	Chico	9/15	2	168	4	4	0.9	13.5	8.7	64.3	5	4	0	50	50	0
94-019-85	Kearney	9/11	-2	170	5	4	1.1	15.0	9.4	62.7	5	4	0	80	20	0
94-020-5	Chico	9/23	10	162	6	7	1.5	15.7	7.5	48.0	5	5	0	78	22	0
94-020-5	Kearney	9/15	2	167	5	6	1.5	16.6	8.1	48.7	6	4	0	100	0	0
94-020-5	Conant	9/17	4	166	5	6	1.4	14.2	7.5	52.8	7	5	40	30	30	0
94-020-19	Chico	9/22	9	161	5	6	1.5	17.3	8.2	47.5	5	5	0	89	11	0
94-020-19	Kearney	9/22	9		5	6	1.5	17.7	8.5	47.8	6	4	0	22	78	0
94-020-28	Davis ^a	9/16	3	160	6	5	1.3	16.1	8.6	53.5	6	5	50	40	10	0
94-020-35	Davis	9/24	11	172	6	6	1.5	15.9	8.0	50.0	7	6	0	80	20	0
94-020-35	Chico	9/22	9	163	5	6	1.3	15.4	7.8	50.9	6	5	10	60	30	0
94-020-35	Kearney	9/14	1	166	5	6	1.4	17.9	8.8	49.4	6	6	0	25	50	25
94-020-35	Conant	9/13	0	163	5	6	1.2	14.9	8.0	53.6	7	5	40	60	0	0
94-020-72	Chico	9/15	2	154	5	5	1.5	16.0	7.6	47.7	6	5	0	40	60	0
94-020-72	Kearney	9/21	8	173	5	6	1.4	16.6	8.0	48.2	6	4	0	10	90	0
95-002-1	Davis	9/25	12	175	5	6	1.5	16.1	8.5	52.7	6	5	0	70	30	0
95-002-1	Chico	9/20	7	176	5	5	1.3	16.4	8.7	53.1	6	5	0	0	100	0
95-002-1	Kearney	9/13	0	179	6	6	1.4	15.9	7.4	46.6	5	5	0	0	100	0
95-002-13	Davis ^a	9/18	5	167	5	6	1.5	14.7	6.8	46.3	6	5	0	100	0	0
95-002-13	Davis	9/27	14	175	5	6	1.4	16.1	7.8	48.2	7	6	0	60	40	0
95-002-13	Chico	9/20	7	176	5	6	1.5	14.9	7.4	49.9	7	5	0	70	30	0

^aDavis sd = original seedling tree, others are grafted trees
 Conant, Crane, McNamara, Scheuring, S505= grower trials;
 Davis, Chico, Kearney are selection blocks
^b="DAP" denotes "Days after Payne harvest at Davis"

^c=Shell seal: 3 - poor, 5 - good, 7 - very strong
^d=Shell strength: 3 - poor, 5 - good, 7 - very strong
^e=Kernel fill: 3 - poor, 7- well
^f=Ease of Removal: 3 - easy, 7 - difficult

Table 6. Selection Block and Grower Trial Harvest Evaluations (Fall 2005) – (cont.)

	^a Location	Harvest			Shell			Average Wt.		% Kernel	^e Kernel Fill	^f Ease of Removal	Color %			
		Date	DAP	Seas Lgth	^c Seal	^d Strgth	Thick mm	Nut (g)	Kernel (g)				Extra Light	Light	Light Amber	Amber
95-002-13	Kearney	9/14	1	172	5	6	1.4	15.8	7.5	47.1	7	6	0	60	30	10
95-003-28	Davis ^a	9/15	2	176	6	6	1.5	13.6	5.8	42.4	5	5	57	0	43	0
95-003-28	Kearney	9/13	0	182	5	6	1.7	18.0	8.4	46.7	6	6	0	89	11	0
95-007-13	Davis	9/18	5	160	5	4	1.2	14.4	8.0	55.7	5	4	40	40	20	0
95-007-13	Chico	9/15	2	156	4	5	1.2	13.5	7.0	52.0	5	4	0	0	80	20
95-007-13	Kearney	9/11	-2	164	5	5	1.3	17.3	7.9	45.6	4	4	0	11	89	0
95-007-13	Conant	9/18	5	159	5	4	1.2	15.4	8.4	54.8	5	5	10	80	10	0
95-007-13	S505	9/25	12	166	5	5	1.2	15.5	8.3	53.1	5	5	0	50	50	0
95-011-14	Davis ^a	9/12	-1	173	5	5	1.3	13.5	7.0	52.0	6	5	90	0	10	0
95-011-14	Davis	9/19	6	178	4	4	1.2	13.8	7.9	57.6	5	4	44	56	0	0
95-011-14	Chico	9/15	2	174	5	4	1.1	12.6	7.2	57.4	5	4	22	78	0	0
95-011-14	Kearney	9/11	-2	172	4	5	1.2	14.2	7.8	55.1	5	4	0	90	10	0
95-011-14	Conant	9/17	4	183	4	4	1	10.2	6.4	62.6	6	4	80	20	0	0
95-011-14	S505	9/16	3	173	4	5	1.3	13.6	7.3	53.7	6	4	10	90	0	0
95-011-15	Davis ^a	9/25	12	173	5	5	1.3	13.6	6.3	46.2	4	5	100	0	0	0
95-011-15	Davis	10/9	26	181	5	5	1.3	15.5	8.4	54.1	6	5	0	100	0	0
95-011-15	Chico	9/29	16	177	5	4	1.1	11.8	6.4	54.5	4	4	70	30	0	0
95-011-15	Kearney	9/23	10	178	5	5	1.3	13.0	6.6	50.4	3	4	33	56	11	0
95-011-16	Kearney	9/19	6		5	5	1.3	15.3	7.9	51.6	5	5	0	80	20	0
95-011-16	S505	9/27	14	169	5	5	1.3	14.8	7.7	51.8	5	5	30	60	10	0
95-011-22	Davis	9/29	16	178	5	5	1.2	11.6	6.3	54.6	5	4	0	89	11	0
95-011-22	Kearney	9/20	7	176	5	5	1.2	15.7	7.9	50.3	5	5	0	78	22	0
95-011-22	Conant	9/20	7	172	5	4	1.1	10.2	6.0	58.4	6	4	50	40	10	0
95-013-6	Davis ^a	9/19	6	161	5	6	1.9	14.2	5.9	41.4	5	4	0	78	22	0
95-013-12	Davis ^a	9/16	3	150	5	6	1.6	15.7	7.3	46.1	4	5	30	70	0	0
95-018-23	Davis ^a	9/18	5	152	5	4	1.2	14.0	7.0	50.1	4	4	80	20	0	0
95-018-23	S505	9/19	6	150	5	4	1.1	14.1	7.3	51.5	4	4	0	100	0	0
95-026-12	Davis	10/8	25	171	4	3	1.1	15.4	8.8	57.5	5	4	10	90	0	0
95-026-15	Davis ^a	9/24	11	171	5	5	1.3	10.8	4.9	45.7	5	4	89	0	11	0

^aDavis sd = original seedling tree, others are grafted trees
 Conant, Crane, McNamara, Scheuring, S505= grower trials;
 Davis, Chico, Kearney are selection blocks
^b="DAP" denotes "Days after Payne harvest at Davis"

^c=Shell seal: 3 - poor, 5 - good, 7 - very strong
^d=Shell strength: 3 - poor, 5 - good, 7 - very strong
^e=Kernel fill: 3 - poor, 7- well
^f=Ease of Removal: 3 - easy, 7 - difficult

Table 6. Selection Block and Grower Trial Harvest Evaluations (Fall 2005) – (cont.)

	^a Location	Harvest			Shell			Average Wt.		% Kernel	^e Kernel Fill	^f Ease of Removal	Color %			
		Date	DAP	Seas Lgth	^c Seal	^d Strgth	Thick mm	Nut (g)	Kernel (g)				Extra Light	Light	Light Amber	Amber
95-026-15	Davis	10/8	25	194	6	5	1.3	11.0	5.4	49.4	6	5	40	50	10	0
95-026-15	Chico	9/24	11	172	5	5	1.4	14.0	6.6	47.2	5	5	0	88	13	0
95-026-15	Kearney	9/27	14	182	5	6	1.5	14.8	6.6	44.7	5	5	20	30	50	0
95-026-16	Davis ^a	9/9	-4	163	6	6	1.4	12.0	6.1	50.7	6	5	22	67	11	0
95-026-17	Davis ^a	9/17	4	158	5	5	1.4	13.8	6.8	49.1	5	5	90	10	0	0
95-026-21	Davis ^a	9/21	8	169	5	5	1.4	11.7	5.7	48.8	5	4	100	0	0	0
95-026-21	Davis	10/5	22	182	5	5	1.2	12.4	6.9	55.9	5	5	0	80	20	0
95-026-21	Chico	9/29	16	182	5	5	1.3	12.0	6.4	53.1	5	4	22	78	0	0
95-026-21	Kearney	9/23	10	168	5	6	1.5	18.4	8.4	45.6	6	6	0	100	0	0
95-026-21	Conant	9/20	7	179	5	5	1.3	9.3	5.3	56.7	6	4	100	0	0	0
95-026-22	Davis ^a	9/17	4	153	5	6	1.6	17.2	8.0	46.7	6	6	67	33	0	0
95-026-22	Davis	10/3	20	168	6	6	1.6	21.0	10.4	49.5	7	6	0	100	0	0
95-026-22	Chico	9/30	17	169	6	6	1.6	17.8	8.6	48.2	6	6	30	60	10	0
95-026-22	Kearney	9/18	5	174	5	5	1.4	14.5	7.1	48.9	5	5	0	80	10	10
95-026-22	Conant	9/25	12	165	5	6	1.5	18.0	9.3	51.4	6	5	20	80	0	0
95-026-22	S505	9/28	15	162	6	6	1.4	19.2	9.0	47.1	6	5	20	80	0	0
95-026-24	Davis ^a	9/21	8	169	5	6	1.4	13.1	6.2	47.6	5	4	100	0	0	0
95-026-29	Davis ^a	9/18	5	164	6	6	1.6	14.0	7.0	50.2	6	5	11	89	0	0
96-013-13	McNamara	9/20	7	177	5	5	1.3	11.4	5.9	51.3	5	4	70	30	0	0
97-003-65	S505	10/9	26	183	5	6	1.3	16.3	8.0	49.1	5	5	78	22	0	0
97-003-91	S505	10/9	26	177	5	5	1.2	14.2	7.3	51.6	5	5	40	30	30	0

^aDavis sd = original seedling tree, others are grafted trees
 Conant, Crane, McNamara, Scheuring, S505= grower trials;
 Davis, Chico, Kearney are selection blocks
^b="DAP" denotes "Days after Payne harvest at Davis"

^c=Shell seal: 3 - poor, 5 - good, 7 - very strong
^d=Shell strength: 3 - poor, 5 - good, 7 - very strong
^e=Kernel fill: 3 - poor, 7- well
^f=Ease of Removal: 3 - easy, 7 - difficult