

FALL BARLEY

Crop Classification	Name	UC Number	2016-2020 S. Rust rating	2016-2020 L. Rust rating	2016-2020 BYDV rating	Test Weight (lb/bu)	Thousand Kernel Wt (g)	Days to heading (from Jan. 1, Davis)	Days to maturity (from Jan. 1, Davis)	Plant Height (in)	Lodging risk	Shatter risk	Plots observed (n)	Status
6RSF	UC71 183 1	162	R	R	MR	42.6	36.4	-	-	41	Low	Low	19	-
6RSF	UC 603	603	S	S	MR	50.1	38.8	104	-	34	Low	Medium	51	Released
6RSF	MAX	816	MS	R	MR	50.6	39.8	-	-	31	Low	Low	25	-
6RSF	UC 933	933	S	MS	MS	48.9	40.8	107	-	31	Med. Low	Medium	50	Released
6RSN	UC 937	937	R	MR	-	48.2	40.7	110	-	29	Low	-	24	-
6RSF	UC 960	960	R	MS	-	47.9	38.3	110	-	29	Low	-	23	-
6RSF	UC 969	969	S	R	MS	51.7	41.5	101	-	35	Low	Low	56	Released
6RSF	ISHI	1047	R	R	MS	48.9	41.2	112	147	32	Med. High	Low	52	Available
6RSN	TAMALPAIS	1134	MR	R	R	53.4	38.7	115	150	31	Low	Low	53	Available
6RSF	UC B369	1255	R	R	R	48.9	44.2	-	-	33	Med. High	Low	24	-
6RSF	UC B398	1256	R	R	MS	48.9	43.1	-	-	34	Med. Low	Low	24	-
6RSF	UC A237	1261	R	R	MR	48.4	42.2	-	-	34	Med. Low	Low	23	-
6RSN	UC 1263	1263	R	R	R	53.8	40.5	-	-	35	Low	Low	23	-
6RSN	UC 1266	1266	R	R	MR	54.2	38.3	-	-	34	Med. Low	Low	23	-
6RSF	UC 1280	1280	R	R	R	50.9	43.8	107	-	35	High	Low	40	-
6RSN	UC 1317	1317	R	R	MR	51.5	37.7	-	-	33	Med. High	Low	22	-
6RSN	UC 1318	1318	R	R	R	51.7	41.3	-	-	35	High	Low	24	-
6RSF	UC UYP 210A	1351	R	R	R	48.0	40.4	-	-	33	Low	Low	24	-
6RSF(H)	SCHALLER	1355	R	MR	R	47.2	40.2	110	147	38	Med. Low	Low	44	Available
2RSM	UC BUTTA 12	1360	R	R	MS	53.2	46.2	111	147	34	Med. High	Low	58	Available
-	UC UYP 3B	1379	R	R	MS	50.0	43.4	-	-	31	High	Low	24	-
-	UC UYP 210B	1383	R	R	R	48.3	39.7	-	-	34	Med. Low	Low	24	-
-	UC 08YP 111 1231 LATE	1385	R	R	MR	48.6	45.5	-	-	35	Med. Low	Low	24	-
2RSM	UC CAPAY	1390	R	R	R	53.2	50.9	105	147	38	Med. High	Low	55	Available
2RSM	UC UOP 95	1399	R	R	MR	49.7	44.0	-	-	33	High	Low	24	-
-	UC UOP 96	1400	R	R	MR	50.2	47.1	-	-	34	Med. Low	Low	23	-
-	UC UOP 97	1401	R	R	R	50.0	42.5	-	-	35	Med. Low	Low	23	-
-	UC UOP 98	1402	R	MR	MR	49.3	39.3	-	-	35	High	Low	24	-
-	UC UOP 99	1403	R	R	R	48.7	40.7	-	-	35	High	Low	22	-
-	UC UOP 100	1404	R	R	MR	48.8	39.6	-	-	34	High	Low	24	-
-	UC UOP 102	1405	R	R	R	48.6	43.1	-	-	35	Med. Low	Low	24	-
-	UC UOP 105	1406	R	MR	MR	50.1	43.0	-	-	34	Med. High	Low	24	-
2RSM	UC UOP 111	1408	R	R	MR	58.1	41.9	-	-	34	Med. Low	Low	23	-
2RSM	UC TAHOE	1409	R	R	R	53.0	39.7	111	147	32	High	Low	57	Available
2RSM	UC 1410	1410	R	R	R	51.4	40.6	-	-	31	High	Low	26	-
2RSM	OSU FULL PINT	1411	R	R	S	51.7	40.3	110	-	29	Med. Low	Low	46	Released
2RSM	LCS GENIE	1414	MR	-	R	51.7	37.3	115	147	30	Low	-	50	Available
2RSM	LCS ODYSSEY	1415	MR	-	R	50.8	39.1	116	150	30	Med. Low	-	35	Available
2RSM	CDC COPELAND	1858	S	-	-	51.1	36.1	113	152	35	Med. Low	-	31	Available
2RSM	ACC SYNERGY	1859	S	-	-	52.6	39.2	113	150	35	Low	-	30	Available
2RSM	KLAGES	1860	S	-	-	51.8	38.2	110	-	32	High	-	24	Released
2RSM	UC B9K94	1861	R	-	-	-	32.2	-	-	32	Low	-	8	-
2RSM	UC 1911	1911	R	-	-	52.1	45.1	110	147	33	Low	-	28	-
2RSM	UC 1915	1915	R	-	-	52.3	44.8	111	147	33	Med. High	-	26	-

Rating scale, area of upper leaves affected except for BYDV which is measured as a percentage of plants showing symptoms:

1 = 0-3%

- 2 = 4-14%
- 3 = 15-29%
- 4 = 30-49%
- 5 = 50-69%
- 6 = 70-84%
- 7 = 85-95%
- 8 = 95-100%